

Acer Tower 1 Way 1 U

Free Bundle keyboard and mouse (all Model)

Tower 1 Way 1 U Server
Acer AR320 F2



	Acer AR320F2 ACR-USR80ST091	Acer AR320F2 ACR-USR80ST092	Acer AR320F2 ACR-USR80ST093	
CPU Types	Intel® Xeon® E3-1220v2 Quad Core Processor (3.10GHz, 5 GT/s DMI)	Intel® Xeon® E3-1230v2 Quad Core Processor (3.30GHz, 5 GT/s DMI)	Intel® Xeon® E3-1240v2 Quad Core Processor (3.40GHz, 5 GT/s DMI)	
CPU min., max.	1	1	1	
CPU L2 Cache	8M L3 Cache	8M L3 Cache	8M L3 Cache	
Memory	4GB (1x4GB)	4GB (1x4GB)	4GB (1x4GB)	
Memory Max. support	UDIMM DDR3 1066	UDIMM DDR3 1066	UDIMM DDR3 1066	
Graphics	128 MB shared video memory, 32 MB dedicated	128 MB shared video memory, 32 MB dedicated	128 MB shared video memory, 32 MB dedicated	
PCI Slots (Total#,#,xxbit/xxxMHz)	PCIe® 3.0 x8 slot (x16 connector) low profile PCIe® 3.0 x8 slot (x8 connector) low profile"	PCIe® 3.0 x8 slot (x16 connector) low profile PCIe® 3.0 x8 slot (x8 connector) low profile"	PCIe® 3.0 x8 slot (x16 connector) low profile PCIe® 3.0 x8 slot (x8 connector) low profile	
Harddisk	1x 500GB 3.5" Enterprise SATA 7,200 RPM	1x 1TB 3.5" Enterprise SATA 7,200 RPM	1x 300GB 3.5" SAS HDD 15K RPM	
Std. HDD Controller	Integrated six-port SATA S/W RAID 0, 1, 5*, 10	Integrated six-port SATA S/W RAID 0, 1, 5*, 10	Integrated six-port SATA S/W RAID 0, 1, 5*, 10	
Max. # Internal Disks	-	-	H/W RAID 0/1/5/10	
H/W RAID Controller	4 x 3.5" Hot Plug bays for SAS,SATA HDD	4 x 3.5" Hot Plug bays for SAS,SATA HDD	4 x 3.5" Hot Plug bays for SAS,SATA HDD	
Optical device	DVDRW (Slim-type)	DVDRW (Slim-type)	DVDRW (Slim-type)	
Onboard Gigabit Ethernet	Yes, Dual	Yes, Dual	Yes, Dual	
Redundant Power Supply	No	No	No	
Form Factor	Rack	Rack	Rack	
OS Support	Microsoft Windows Server 2012 Microsoft? Windows Server 2008 R2 SP1 Red Hat Enterprise Linux 6.4 Red Hat Enterprise Linux 5.9 Novell SUSE Linux Enterprise Server 11 SP3 VMware ESXi 5.0 update 1	Microsoft Windows Server 2012 Microsoft? Windows Server 2008 R2 SP1 Red Hat Enterprise Linux 6.4 Red Hat Enterprise Linux 5.9 Novell SUSE Linux Enterprise Server 11 SP3 VMware ESXi 5.0 update 1	Microsoft Windows Server 2012 Microsoft? Windows Server 2008 R2 SP1 Red Hat Enterprise Linux 6.4 Red Hat Enterprise Linux 5.9 Novell SUSE Linux Enterprise Server 11 SP3 VMware ESXi 5.0 update 1	
Warranty	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand	
ราคา (Inc. Vat)	43,335	46,010	56,710	

Acer Tower 1 Way 2 U

Free Bundle keyboard and mouse (all Model)


Rack 1 Way 2U
Acer R360 F2


Server ทุกรุ่น สามารถ Build to order
ได้ตั้งแต่ 1 unit ขึ้นไป



	Acer AR320F2 ACR-USR92ST002	Acer AR320F2 ACR-USR92ST003	Acer AR320F2 ACR-USR92ST004	
CPU Types	Intel® Xeon® Quad-Core E5-2609 (2.4G,6.4 GT/s QPI)	Intel® Xeon® Six-Core E5-2620 (2.0 GHz, 7.2 GT/s QPI)	Intel® Xeon® Six-Core E5-2620 (2.0 GHz, 7.2 GT/s QPI)	
CPU min., max.	2	2	2	
CPU L2 Cache	10MB L3 Cache	15MB L3 Cache	10MB L3 Cache	
Memory	4GB (1x4GB) RDIMM	4GB (1x4GB) RDIMM	8GB (1x8GB) RDIMM	
Memory Max. support	Registered / Unbuffered DDR3 ECC memory 24 DIMM Slots	Registered / Unbuffered DDR3 ECC memory 24 DIMM Slots	Registered / Unbuffered DDR3 ECC memory 24 DIMM Slots	
Graphics	Up to 768 GB (24 x RDIMMs) or up to 128 GB (16 x UDIMMs)	Up to 768 GB (24 x RDIMMs) or up to 128 GB (16 x UDIMMs)	Up to 768 GB (24 x RDIMMs) or up to 128 GB (16 x UDIMMs)	
PCI Slots (Total#,#,xxbit/xxxMHz)	BMC embedded controller 128 MB shared video memory, 16 MB dedicated 2 x PCIe® 3.0 x8 (x16 connector) 1 x I/O module expansion slot or dedicated management port*	BMC embedded controller 128 MB shared video memory, 16 MB dedicated 2 x PCIe® 3.0 x8 (x16 connector) 1 x I/O module expansion slot or dedicated management port	BMC embedded controller 128 MB shared video memory, 16 MB dedicated 2 x PCIe® 3.0 x8 (x16 connector) 1 x I/O module expansion slot or dedicated management port*	
Harddisk	1x 500GB 3.5" Enterprise SATA 7,200 RPM	1x 1TB 3.5" Enterprise SATA 7,200 RPM	2x 300GB 3.5" SAS 15,000 RPM	
Std. HDD Controller	Intel® RSTe RAID 0/1/10/5 for SATA mode Intel® ESRT2 RAID 0/1/10 for SAS/SATA mode	Intel® RSTe RAID 0/1/10/5 for SATA mode Intel® ESRT2 RAID 0/1/10 for SAS/SATA mode	Intel® RSTe RAID 0/1/10/5 for SATA mode Intel® ESRT2 RAID 0/1/10 for SAS/SATA mode	
Max. # Internal Disks	Up to 4 x 3.5" hot-swappable HDDs	Up to 4 x 3.5" hot-swappable HDDs	Up to 4 x 3.5" hot-swappable HDDs	
H/W RAID Controller	-	-	H/W RAID 0/1/10/5/60 with 512MB cache	
Optical device	DVDRW (Slim-type)	DVDRW (Slim-type)	DVDRW (Slim-type)	
Onboard Gigabit Ethernet	4 x Gigabit LAN ports (RJ-45) Management through port one	4 x Gigabit LAN ports (RJ-45) Management through port one	4 x Gigabit LAN ports (RJ-45) Management through port one	
Redundant Power Supply	1 x 750 W 80 PLUS® platinum-level efficiency, easy-swap power supply units (hot-swappable) Optional 2nd power supply units	1 x 750 W 80 PLUS® platinum-level efficiency, easy-swap power supply units (Optional 1+1 redundant, hot-swappable)	1 x 750 W 80 PLUS® platinum-level efficiency, easy-swap power supply units (Optional 1+1 redundant, hot-swappable)	
From Factor	1U rack-optimized	1U rack-optimized	1U rack-optimized	
OS Support	Microsoft® Windows Server® 2012 Microsoft® Windows Server® 2008 R2 Microsoft® Windows Server® 2008 SUSE® Linux® Enterprise Server 11 Red Hat® Enterprise Linux® 5 , Linux® 6 Red Hat® Enterprise VMware ESXi™ 5.0 Citrix XenServer® 6"	Microsoft® Windows Server® 2012 Microsoft® Windows Server® 2008 R2 Microsoft® Windows Server® 2008 SUSE® Linux® Enterprise Server 11 Red Hat® Enterprise Linux® 5 , Linux® 6 Red Hat® Enterprise VMware ESXi™ 5.0 Citrix XenServer® 6"	Microsoft® Windows Server® 2012 Microsoft® Windows Server® 2008 R2 Microsoft® Windows Server® 2008 SUSE® Linux® Enterprise Server 11 Red Hat® Enterprise Linux® 5 , Linux® 6 Red Hat® Enterprise VMware ESXi™ 5.0 Citrix XenServer® 6"	
Warranty	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand	
ราคา (Inc. Vat)	85,600	92,020	120,910	

DELL PowerEdge Server

	Disti SKUs	SNSR220E34G	SNSR320E54G	DEL-SNSR430600G
	Model	PowerEdge R220	PowerEdge R320	PowerEdge R430
	Form Factor	Rack 1U + Rail Kits	3.5" Chassis with up to 4 Hot Plug Hard Drives and Embedded SATA	2.5" Chassis with up to 8 Hot Plug HDD
	Processor	Intel Xeon E3-1241 v3	Intel Xeon E5-2407	(1) Intel Xeon E5-2620 v3
	Processor Speed / Core	3.5GHz, 4-Core, 8MB Cache, 80W	2.20GHz, 4-Core, 10MB Cache, 80W	2.4GHz, 6-Core, 15MB Cache, 85W
	Memory	4GB UDIMM, 1600 MT/s, Low Volt, Single Rank, x4 Data Width	4GB (1 x 4GB) RDIMM, 1600MT/s, Low Volt, Single Rank, x8 Data Width	8GB (1x8GB) RDIMM, 2133MT/s, Dual Rank, x4 Data Width
	Network	(2) 1GbE On-Board LOM	(2) port 1Gb LOM	Dual-port 1Gb LOM
	Harddisk	(2) 500GB 3.5-inch 7.2K SATA II - Non Hotplug	(1) 1TB 7.2K RPM Near Line, 6Gbps SAS 3.5" Hot Plug Hard Drive	(3) 600GB 10K RPM SAS 6Gbps 2.5in Hot-plug HDD
	RAID Controller	S110, Software RAID (for Microsoft OS Only)	PERC H310 Integrated RAID Controller, Mini-Type	PERC H330 RAID Controller
	Optical Drive	8X DVD + /-RW Drive	8X DVD+/-RW Combo Drive	DVD+/-RW, SATA
	Power Supply	250 Watts Non-Hot Plug	Dual Hot Plug Power Supplies 350W	Single Hot-plug, Redundant Power Supply 550W
	System Management	Basic Management	iDRAC7 Enterprise	iDRAC8, Express with Dedicated NIC
Warranty	3Yr ProSupport: NBD Onsite Service + 3Months	3 Yr Next Business Day Onsite Service + 3 Months	3Yr ProSupport: (7x24) 4-hr. Onsite Service + 3 Months	
ราคา (Inc.Vat)	44,405	64,200		

	Disti SKUs	DEL-SNSR530600G	DEL-SNSR630600G	DEL-SNSR730600G
	Model	Dell PowerEdge R530	PowerEdge R630	PowerEdge R730
	Form Factor	3.5" Chassis with up to 8 Hot Plug Hard Drives	Chassis with up to 8x2.5" Hard Drives, up to 2 PCIe Slots (With Optional Riser)	Chassis with up to 8, 2.5" Hard Drives
	Processor	(1) Intel® Xeon® E5-2620 v3	(1) Intel® Xeon® E5-2630 v3	(1) Intel® Xeon® E5-2630 v3
	Processor Speed / Core	2.4GHz, 6-Core, 15MB Cache, 85W	2.4GHz, 8-Core, 20MB Cache, 85W	2.4GHz, 8-Core, 20MB Cache, 85W
	Memory	8GB (8xGB) RDIMM, 2133MT/s, Dual Rank, x4 Data Width	16GB (1x16GB) RDIMM, 2133 MT/s, Dual Rank, x4 Data Width	16GB (1x16GB) RDIMM, 2133MT/s, Dual Rank, x4 Data Width
	Network	Dual-port 1Gb LOM	4Port 1Gb Network Daughter Card	4Port 1Gb Network Daughter Card
	Harddisk	(3) 600GB 10K RPM SAS 6Gbps 2.5in Hot-plug Hard Drive, 3.5in HYB CARR	(3) 600GB 10K RPM SAS 6Gbps 2.5in Hot-plug Hard Drive	(3) 600GB 10K RPM SAS 6Gbps 2.5in Hot-plug Hard Drive
	RAID Controller	PERC H330 RAID Controller	PERC H730 RAID Controller, 1GB NV Cache	PERC H730P RAID Controller, 2GB NV Cache
	Optical Drive	DVD+/-RW, SATA, Internal	DVD+/-RW, SATA, Internal	DVD+/-RW ROM, SATA, Internal
	Power Supply	Single, Hot-plug, Redundant Power Supply 495W	Dual, Hot-plug, Redundant Power Supply (1+1), 495W	Dual, Hot-plug, Redundant Power Supply (1+1), 495W
	System Management	iDRAC8, Express with Dedicated NIC	iDRAC8, Enterprise with OpenManage Essentials, Server ConfigMgmt	iDRAC8, Enterprise with OpenManage Essentials, Server ConfigMgmt
Warranty	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3 Months	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3 Months	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3 Months	
ราคา (Inc.Vat)	105,930	136,639	143,380	

Entry Level : Rack 1&2 Way 1U

Server HP มี Onsite Service กรุ๊ป
สอบถามรายละเอียดโทร. 02-118-6300

	DL320e Gen8 E3-1220v3 HPQ-717170-371	DL320e Gen8 E3-1241v3 HPQ-768645-371	DL180 Gen9 E5-2603v3 HPQ-778453-B21	DL180 Gen9 E5-2609v3 HPQ-778455-B21
Processor type	(1)Intel® Xeon® E3-1220v3 (3.1GHz/4-core/8MB/80W, HT) Processor	(1) Intel® Xeon® E3-1241v3 (3.5GHz/4-core/8MB/80W, HT) Processor	(1)Intel® Xeon® E5-2603v3 (1.6GHz/6-core/15MB/85W)	(1)Intel® Xeon® E5-2609v3 (1.9GHz/6-core/15MB/85W)
CPU Cache	8MB L3	8MB L3	15MB L3	15MB L3
Front Side Bus	QPI	QPI	QPI	QPI
Memory	4GB (1 x 4GB) Unbuffered DIMMs PC3-12800E (1600MHz)	8GB (1 x 8GB) Unbuffered DIMMs PC3-12800E (1600MHz)	8GB (1x8GB Registered DIMMs, 2133 MHz)	8GB (1x8GB Registered DIMMs, 2133 MHz)
Network Controller	HP Ethernet 1Gb 2-port NC332i Adapter	HP Ethernet 1Gb 2-port NC332i Adapter	HP Ethernet 1Gb 2-port i350 Adapter	HP Ethernet 1Gb 2-port i350 Adapter
VGA Controller	Integrated Matrox G200 video standard	Integrated Matrox G200 video standard	Integrated Matrox G200eH2 video standard	Integrated Matrox G200eH2 video standard
Storage controller	HP Dynamic Smart Array B120i Controller	HP Smart Array P222/512MB FBWC Controller	HP Dynamic Smart Array B140i	HP H240 FIO Smart Host Bus Adapter
RAID Supported	0/1/10	0/1/10/5/5+0/6/6+0	RAID 0, 1, 10, 5	RAID 0, 1 & 5
Bus type	N/A	N/A	N/A	N/A
Expansion Slots	2xPCIe3.0	2xPCIe3.0 (1 PCIe Available)	3xPCIe3.0	3xPCIe3.0 (2 PCIe Available)
Floppy disk drive	None	None	None	None
Optical drive	None ships standard	None ships standard	None ships standard	None ships standard
Media Bays	2 bay LFF Hot Plug Drive Cage; includes 1 LFF hard drive	2 bay LFF Hot Plug Drive Cage; includes 1 LFF hard drive	8 LFF HDD Bays	8 SFF HDD Bays
Max. # internal Disks	2 bay LFF Hot Plug Drive Cage;	2 bay LFF Hot Plug Drive Cage;	8 LFF HDD Bays	8 SFF HDD Bays
Hard Drives	None ships standard	None ships standard	None ships standard	None ships standard
Power Supply	250 Watts Non-Hot Plug, Non redundant Power Supply	250 Watts Non-Hot Plug, Non redundant Power Supply	(1) HP 550W FIO Power Supply	(1) HP 550W FIO Power Supply
Dimension	Rack (1U)	Rack (1U)	Rack (2U)	Rack (2U)
OS Certificate	Microsoft Windows Server Canonical Ubuntu Red Hat Enterprise Linux (RHEL) VMware	Microsoft Windows Server Canonical Ubuntu Red Hat Enterprise Linux (RHEL) VMware	Microsoft Windows Server Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Oracle Solaris / VMware	Microsoft Windows Server Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Oracle Solaris VMware
Standard Warranty	1/1/1	1/1/1	3/1/1	3/1/1
ราคา (Inc.Vat)	37,377	71,878	95,499	121,109
	Package ชุดคุ้ม รับเพิ่มฟรี HDD Hot Plug SATA 1TB x 1 และ: Upgrade Warranty HP 3y Nbd FC SVC ในราคาชุดคุ้มค่า ราคา SRP 34,133 บาท	Package ชุดคุ้ม รับเพิ่มฟรี HDD Hot Plug SATA 1TB x 1 HP SATA DVD RW Jb Kit และ: Upgrade Warranty HP 3y Nbd FC SVC ใน ราคาชุดคุ้มค่า SRP 71,690 บาท	Package ชุดคุ้ม รับเพิ่มฟรี HDD Hot Plug SATA 1TB x 2 , และ: Upgrade Warranty HP 3y Nbd FC SVCในราคาชุดคุ้มค่า ราคา SRP 81,855 บาท	Package ชุดคุ้ม รับเพิ่มฟรี HDD Hot Plug SAS 300GB10K x 2 และ: Upgrade Warranty HP 3y NBD FC SVCในราคาชุดคุ้มค่า ราคา SRP 93,090 บาท

Entry Level : Rack 1&2 Way 1U

Server HP มี Onsite Service ทั่วประเทศ
 สอบถามรายละเอียดโทร. 02-118-6300

DL360 Gen9
E5-2603v3
 HPQ-755261-B21

DL360 Gen9
E5-2630v3
 HPQ-755262-B21

DL380 Gen9
E5-2609v3
 HPQ-766342-B21

DL380 Gen9
E5-2620v3
 HPQ-752687-B21

Processor type	(1)Intel® Xeon® E5-2603v3 (1.6GHz/6-core/15MB/85W)	(1)Intel® Xeon® E5-2630v3 (2.4GHz/8-core/20MB/85W)	(1)Intel® Xeon® E5-2609v3 (1.9GHz/6-core/15MB/85W)	(1)Intel® Xeon® E5-2620v3 (2.4GHz/6-core/15MB/85W)
CPU Cache	15MB L3	20MB L3	15MB L3	15MB L3
Front Side Bus	QPI	QPI	QPI	QPI
Memory	8GB (1x8GB Registered DIMMs, 2133 MHz)	16GB (1x16GB Registered DIMMs, 2133 MHz)	8GB (1x8GB Registered DIMMs, 2133 MHz)	16GB (1x16GB Registered DIMMs, 2133 MHz)
Network Controller	HP Embedded 1Gb Ethernet 4-port 331i Adapter	HP Embedded 1Gb Ethernet 4-port 331i Adapter	HP Embedded 1Gb Ethernet 4-port 331i Adapter	HP Embedded 1Gb Ethernet 4-port 331i Adapter
VGA Controller	Integrated Matrox G200 video standard	Integrated Matrox G200 video standard	Integrated Matrox G200eH2 video standard with 16MB of Video RAM	Integrated Matrox G200eH2 video standard with 16MB of Video RAM
Storage controller	HP H240ar Smart Host Bus Adapter	16GB (1x16GB Registered DIMMs, 2133 MHz)	HP Dynamic Smart Array B140i	HP Flexible Smart Array P440ar/2GB
RAID Supported	RAID 0,1&5	RAID 0,1,10, 5, 50, 6, 60	RAID 0, 1, 10, 5	RAID 0,1,10, 5, 50, 6, 60
Bus type	N/A	N/A	N/A	N/A
Expansion Slots	2 Standard (1-FH/? L, 1-LP) PCIe 3.0	2 Standard (1-FH/? L, 1-LP) PCIe 3.0	3 PCIe slots (+3 PCI slots available with upgrade option, second processor required)	3 PCIe slots (+3 PCI slots available with upgrade option, second processor required)
Floppy disk drive	None	None	None	None
Optical drive	Not Available	Not Available	Not Available	Not Available
Media Bays	8 SFF HDD Bays	8 SFF HDD Bays	4 LFF HDD Bays	8 SFF HDD Bays
Max. # internal Disks	8 SFF HDD Bays	8 SFF HDD Bays	4 LFF HDD Bays	8 SFF HDD Bays
Hard Drives	None ships standard	None ships standard	None ships standard	None ships standard
Power Supply	(1) HP 500W Flex Slot Platinum Power Supply	(1) HP 500W Flex Slot Platinum Power Supply	(1) HP 500W Flex Slot Platinum Power Supply	(1) HP 500W Flex Slot Platinum Power Supply
Dimension	Rack (1U)	Rack (1U)	Rack (2U)	Rack (2U)
OS Certificate	Microsoft Windows Server Canonical Ubuntu Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Oracle Solaris / Vmware Citrix XenServer	Microsoft Windows Server Canonical Ubuntu Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Oracle Solaris / Vmware Citrix XenServer	Microsoft Windows Server Canonical Ubuntu Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Oracle Solaris / Vmware Citrix XenServer	Microsoft Windows Server Canonical Ubuntu Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Oracle Solaris / Vmware Citrix XenServer
Standard Warranty	3/3/3	3/3/3	3/3/3	3/3/3
ราคา (Inc.Vat)	150,167	199,910	147,517	203,509
	Package ชุดคีม รับเพิ่มฟรี HDD Hot Plug SAS 300GB10K (2.5")x 2 , และ Upgrade Warranty HP 3y NBD FC SVC ในราคาชุดคีมค่า ราคา SRP 92,020 บาท	Package ชุดคีม รับเพิ่มฟรี HDD Hot Plug SAS 300GB10K (2.5")x 2 และ Upgrade Warranty HP 3y NBD FC SVC ในราคาชุดคีมค่า ราคา SRP 135,890 บาท	Package ชุดคีม รับเพิ่มฟรี HDD Hot Plug SATA 1TB7.2K (3.5")x 2 , และ Upgrade Warranty HP 3y NBD FC SVCในราคาชุดคีมค่า ราคา SRP 93,090 บาท	Package ชุดคีม รับเพิ่มฟรี HDD Hot Plug SAS 300GB10K (2.5")x 2 และ Upgrade Warranty HP 3y NBD FC SVC ในราคาชุดคีมค่า ราคา SRP 133,750 บาท

Entry Level : Rack 1&2 Way 1U

Server HP มี Onsite Service ทั่วประเทศ
 สอบถามรายละเอียดโทร. 02-118-6300

	HP ProLiant DL60 Gen9 E5-2603v3 HPQ-777394-B21	HP ProLiant DL60 Gen9 E5-2609v3 HPQ-775836-B21	HP ProLiant DL60 Gen9 E5-2603v3 HPQ-769503-B21	HP ProLiant DL60 Gen9 E5-2609v3 HPQ-769505-B21
Processor type	Intel® Xeon® E5-2603v3 (1.6GHz/6-core/15MB/85W)	Intel® Xeon® E5-2603v3 (1.6GHz/6-core/15MB/85W)	Intel® Xeon® E5-2603v3 (1.6GHz/6-core/15MB/85W)	Intel® Xeon® E5-2609v3 (1.9GHz/6-core/15MB/85W)
CPU L2 Cache	15MB L3	15MB L3	15MB L3	15MB L3
Front Side Bus	QPI	QPI	QPI	QPI
Memory	4GB (1x4GB Registered DIMMs, 2133 MHz)	8GB (1x8GB Registered DIMMs, 2133 MHz)	8GB (1x8GB Registered DIMMs, 2133 MHz)	16GB (2x8GB Registered DIMMs, 2133 MHz)
Network Controller	HP Embedded Dual Port 361i Adapter Network Interface	HP Embedded Dual Port 361i Adapter Network Interface	HP Embedded Dual Port 361i Adapter Network Interface	HP Embedded Dual Port 361i Adapter Network Interface
VGA Controller	Integrated Matrox G200eH2 video standard	Integrated Matrox G200eH2 video standard	Integrated Matrox G200eH2 video standard	Integrated Matrox G200eH2 video standard
Storage controller	HP Dynamic Smart Array B140i	HP Dynamic Smart Array B140i	HP Dynamic Smart Array B140i	HP H240 FIO Smart Host Bus Adapter
RAID Onboard	RAID 0, 1, 10, 5	RAID 0, 1, 10, 5 support SATA Only	RAID 0, 1, 10, 5 support SATA Only	RAID 0, 1, 10, 5
Bus type	N/A	N/A	N/A	N/A
Expansion Slots	3 PCIe 3.0 slots	3 PCIe 3.0 slots	2 Standard (1-FH/HL, 1-LP) PCIe 3.0	2 Standard (1-FH/HL, 1-LP) PCIe 3.0
Floppy disk drive	None	None	None	None
Optical drive	*** Optical Drive NOT available / Optional External USB Optical Drive (Mobile USB DVDRW Optical Drive)	*** Optical Drive NOT available / Optional External USB Optical Drive (Mobile USB DVDRW Optical Drive)	*** Optical Drive NOT available / Optional External USB Optical Drive (Mobile USB DVDRW Optical Drive)	*** Optical Drive NOT available / Optional External USB Optical Drive (Mobile USB DVDRW Optical Drive)
Media Bays	4 LFF HDD Bays (Non Hot Plug)	4 LFF HDD Bays	4 LFF HDD Bays	8 SFF HDD Bays
Max. # internal Disks	4 LFF HDD Bays	4 LFF HDD Bays	4 LFF HDD Bays	8 SFF HDD Bays
Hard Drives	None ship standard	None ship standard	None ship standard	None ship standard
Power Supply	(1) HP 550W FIO Power Supply	(1) HP 550W FIO Power Supply	(1) HP 550W FIO Power Supply	(1) HP 550W FIO Power Supply
Dimension	RACK (1U)	RACK (1U)	RACK (1U)	RACK (1U)
OS Certificate	Microsoft Windows Server Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Vmware	Microsoft Windows Server Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Vmware	Microsoft Windows Server Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Oracle Solaris Vmware	Microsoft Windows Server Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Oracle Solaris Vmware
Warranty	1/1/1	1/1/1	3/1/1	3/1/1
ราคา	64,200	70,620	73,295	97,370
	Package ชุดคุ้ม รับเพิ่มฟรี HDD Non-Hot Plug SATA 1TB x 2 และ Upgrade Warranty HP 3y Nbd FC SVC ในราคาชุดคุ้มค่า ราคา SRP 64,200 บาท (Inc.VAT)	Package ชุดคุ้ม รับเพิ่มฟรี HDD Hot Plug SATA 1TB x 2 และ Upgrade Warranty HP 3y Nbd FC SVC ในราคาชุดคุ้มค่า ราคา SRP 70,620 บาท (Inc.VAT)	Package ชุดคุ้ม รับเพิ่มฟรี HDD Hot Plug SATA 1TB x 2 และ Upgrade Warranty HP 3y Nbd FC SVC ในราคาชุดคุ้มค่า ราคา SRP 73,295 บาท (Inc.VAT)	Package ชุดคุ้ม รับเพิ่มฟรี HDD Hot Plug SAS 300GB10K x 2 และ Upgrade Warranty HP 3y Nbd FC SVC ในราคาชุดคุ้มค่า ราคา SRP 97,370 บาท (Inc.VAT)

Entry Level : Rack 1&2 Way 1U

Server HP มี Onsite Service ทุกรุ่น
 สอบถามรายละเอียดโทร. 02-118-6300

**HP Proliant DL160
 Gen8 E5-2620**
 HPQ-662083-371

Processor type	(1) Intel® Xeon® E5-2609v3 (1.9GHz/6-core/15MB/85W)			
CPU L2 Cache	15MB L3			
Front Side Bus	QPI			
Memory	16GB (2x8GB Registered DIMMs, 2133 MHz)			
Network Controller	HP Embedded Dual Port 361i Adapter Network Interface			
VGA Controller	Integrated Matrox G200eH2 video standard			
Storage controller	HP H240 FIO Smart Host Bus Adapter			
RAID Onboard	RAID 0, 1, 10, 5			
Bus type	N/A			
Expansion Slots	2 Standard (1-FH/HL, 1-LP) PCIe 3.0			
Floppy disk drive	None			
Optical drive	Optional External USB Optical Drive (Mobile USB DVDRW Optical Drive)			
Media Bays	8 SFF HDD Bays			
Max. # internal Disks Optional	8 SFF HDD Bays			
Hard Drives	None ship standard			
Power Supply	(1) HP 550W FIO Power Supply			
Dimension	RACK (1U)			
OS Certificate	Microsoft Windows Server Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Oracle Solaris / Vmware™			
Warranty	3/1/1			
	97,370			
	Package ชุดคุ้ม รับเพิ่มฟรี HDD Hot Plug SAS 300GB10K x 2 และ Upgrade Warranty HP 3y Nbd FC SVC ในราคาชุดคุ้มค่า SRP : 97,370 THB (VAT)			

Entry Level : Rack 1&2 Way 1U

Server HP มี Onsite Service ทั่วประเทศ
 สอบถามรายละเอียดโทร. 02-118-6300

	HP ProLiant DL360p Gen8 E5-2630v2 HPQ-733733-371	HP ProLiant DL380p Gen8 E5-2630v2 HPQ-704559-371	HP ProLiant DL80 Gen9 E5-2603v3 HPQ-778640-B21	HP ProLiant DL80 Gen9 E5-2609v3 HPQ-778641-B21
Processor type	(1) Intel Xeon E5-2630 v2 (2.6GHz/6-core/15MB/80W) Processor	(1) Intel Xeon E5-2630 v2 (2.6GHz/6-core/15MB/80W) Processor	(1) Intel® Xeon® E5-2603v3 (1.6GHz/6-core/15MB/85W)	Intel® Xeon® E5-2609v3 (1.9GHz/6-core/15MB/85W)
CPU L2 Cache	15MB (1x15MB) L3	15MB (1x15MB) Level 3	15MB L3	15MB L3
Memory	16GB (2 x 8GB DDR3-1600MHZ RDIMMs)	16GB (1x16GB) PC3L-12800R (DDR3-1600LV) Registered DIMMs	4GB (1x4GB Registered DIMMs, 2133 MHz)	8GB (1x8GB Registered DIMMs, 2133 MHz)
Network Controller	HP Ethernet 1Gb 4-port 331FLR Adapter	HP Ethernet 1Gb 4-port 331FLR Adapter	HP Embedded Dual Port 361i Adapter Network Interface	HP Embedded Dual Port 361i Adapter Network Interface
VGA Controller	Integrated Matrox G200 video standard	Integrated Matrox G200 video standard	Integrated Matrox G200eH2 video standard	Integrated Matrox G200eH2 video standard
Storage controller	HP Smart Array P420i/1GB with FBWC	HP Smart Array P420i/1GB FBWC	HP Dynamic Smart Array B140i	HP H240 FIO Smart Host Bus Adapter
RAID Onboard	RAID 0/1/1+0/5/5+0/6/6+0	RAID 0/1/1+0/5/5+0/6/6+0	RAID 0, 1, 10, 5	RAID 0, 1, 10, 5
Expansion Slots	2 standard (1-FH/HL, 1-LP) PCIe 3.0	3 PCIe slots (+3 PCIe slots available with upgrade option)	5 PCIe 3.0 slots (without risers)	5 PCIe 3.0 slots (without risers)
Optical drive	None (Optional: DVD-ROM, DVD-RW)	None (Optional: DVD-ROM, DVD-RW)		
Media Bays	Standard: 8 SFF HDD Bays	Standard: 8 SFF SAS/SATA HDD Bays; includes 6 SFF hard drive blanks	4 LFF HDD Bays	8 SFF HDD Bays
Max. # internal Disks		Optional Upgrade: +8 SFF (total of 16) SFF SAS/SATA HDD Bays	4 LFF HDD Bays	8 SFF HDD Bays
Hard Drives	None ship standard; includes 6 SFF hard drive blanks	None ship standard	None ship standard	None ship standard
Power Supply	(1) HP 460W Common Slot Platinum Plus Hot Plug Power Supply	(1) HP 460W Common Slot Platinum Plus Hot Plug Power Supply	(1) HP 550W FIO Power Supply	(1) HP 550W FIO Power Supply
Dimension	Rack (1U)	Rack (2U)	RACK (2U)	RACK (2U)
OS Certificate	Microsoft Windows Server Canonical Ubuntu Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Oracle Solaris /VMware / Citrix XenServer	Microsoft Windows Server Canonical Ubuntu Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Oracle Solaris /VMware / Citrix XenServer	Microsoft Windows Server Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Oracle Solaris Vmware	Microsoft Windows Server Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Oracle Solaris Vmware
Warranty	3/3/3	3/3/3	3/1/1	3/1/1
	184,966	199,113	66,340	80,250
	PROMOTION PACK ชุดคุ้ม มาพร้อม HDD SAS 300GB X 2, DVDRW SRP 119,840 บาท หรือ HDD SAS 600GB X 2, DVDRW SRP 128,400 บาท	PROMOTION PACK ชุดคุ้ม มาพร้อม HDD SAS 300GB X 2, DVDRW SRP 123,050 บาท หรือ HDD SAS 600GB X 2, DVDRW SRP 133,750 บาท	Package ชุดคุ้ม รับเพิ่มฟรี HDD Non-Hot Plug SATA 1TB x 2 และ Upgrade Warranty HP 3y Nbd FC SVC ในราคาชุดคุ้มค่า ราคา SRP(Inc.VAT) 66,340	Package ชุดคุ้ม รับเพิ่มฟรี HDD Hot Plug SATA 1TB x 2 และ Upgrade Warranty HP 3y Nbd FC SVC ในราคาชุดคุ้มค่า ราคา SRP(Inc.VAT) 80,250