



AMD : CPU

Article	AMD Part No.	Power	Socket	Cache	Freq	ราคา (In.VAT)
---------	--------------	-------	--------	-------	------	---------------



Model A Series

AMD A-Series APUs deliver great performance and best-in-class online gaming with an easy upgrade path for your desktop. and best-in-class online gaming with an easy upgrade path for your desktop.



AMD A-Series Quad-Core APUs

AMD-AD6300OKHLBOX	AMD A4-6300,FM2,1MB,3900MHz	65W	FM2	1MB	3900MHz	1,370
AMD-AD7300OKHLBOX	AMD A4-7300, FM2, 4000Mhz, 1MB, 65W	65W	FM2	1MB	4000Mhz	1,540
AMD-AD740KYBJABOX	AMD A6-7400, FM2, 3900Mhz, 1MB, 65W	65W	FM2+	1MB	3900MHz	2,090
AMD-AD747KYBJCBOX	AMD A6 7470K Black Edition (FM2+)	65W	FM2+	1MB	3900MHz	2,390
AMD-AD7600YBJABOX	AMD A8 7600 (FM2+)	65W	FM2+	4MB	3800Mhz	3,360
AMD-AD765KXBJASBX	AMD A8 7650K Black Edition quiet cooler	95W	FM2+	4MB	3800Mhz	3,910
AMD-AD767KXBJCSBX	AMD A8 7670K (with 95W Quiet Cooler)	95W	FM2+	4MB	3900MHz	4,200
AMD-AD786KYBJCSBX	AMD A10 7860K (with 95W Quiet Cooler)	65W	FM2+	4MB	4000Mhz	4,840
AMD-AD787KXDJCSBX	AMD A10 7870K Black Edition quiet cooler	95W	FM2+	4MB	4100Mhz	5,680
AMD-AD789KXDJCHBX	AMD A10 7890K Black Edition with AMD Wraith Cooler	95W	FM2+	4MB	4300Mhz	5,900



Model Athlon Series

AMD Athlon™ II Processors The performance you need at the price you want



AMD Athlon II X4 Quad-Core Processors FM2 Socket

AMD-AD860KXBJABOX	AMD Athlon X4 860K,95W,FM2,4000Mhz	95W	FM2+	4MB	4000Mhz	2,850
AMD-AD860KXBJASBX	AMD Athlon X4 860K Black Edition quiet cooler	95W	FM2+	4MB	4000Mhz	3,140
AMD-AD870KXBJCSBX	AMD Athlon x4 870K Black Edition quiet cooler	95W	FM2+	4MB	4100Mhz	3,320
AMD-AD880KXBJCSBX	AMD Athlon X4 880K Black Edition quiet cooler	95W	FM2+	4MB	4200Mhz	3,490



Model FX Series

AMD FX™ processors are a DirectX® 12 performance leader, with the highest clocks and the most cores you can get on a desktop PC.



AMD FX-Series Six-Core Processors

AMD-FD6300WMHKBOX	AMD FX-6300,95W,AM3,14MB,3500Mhz	95W	AM3+	14MB	3500Mhz	สอบถาม
AMD-FD6350FRHKBOX	AMD Fx-6350 ,AM3,125W,14MB,4200Mhz	125W	AM3+	14MB	4200Mhz	สอบถาม

AMD FX-Series Eight-Core Processors

AMD-FD8320FRHKBOX	AMD FX-8320,125W,AM3,16MB,3500Mhz	125W	AM3+	16MB	4000Mhz	สอบถาม
AMD-FD8350FRHKBOX	AMD FX-8350,125W,AM3,16MB,4000Mhz	125W	AM3+	16MB	4200Mhz	Call
AMD-FD8370FRHKBOX	AMD FX-8370, AM3, 4300Mhz, 16MB, 125W	125W	AM3+	16MB	4300Mhz	Call
AMD-FD837EWMHKBOX	AMD FX-8370E, AM3, 4300Mhz, 16MB, 95W	95W	AM3+	16MB	4300Mhz	Call

AMD FX-Series Eight-Core Processors (SI Only) FX 5.0

AMD-FD9370FHHKBOF	AMD FX-9370, AM3, 4700Mhz, 16MB, 220W	220W	AM3+	16MB	5000Mhz	Call
AMD-FD9590FHHKWOF	AMD FX-9590, AM3, 5000Mhz, 16MB, 220W	220W	AM3+	16MB	4700Mhz	Call

Asus : Mainboard

**H81M-A**

ASU-90MB0GG0M0UAY0

**H81M-C**

ASU-90MB0GT1M0UAY3

CPU/ Chipset	Intel®4th Generation / Socket LGA1150	Intel®4th Generation / Socket LGA1150 /Chipset H81
Form Factor	uATX	mATX, 9.6 inch x 7 inch
Memory support	2DDR3(Dual CH)/ Max.16Gb	2*DIMM/Max.16GB/DDR3(Dual CH)
Expansion Slots	2*(PCIe x1 Slots)	1(PCIex16)+2(PCIe2.0x1) +1(PCI)
Storage	SATA 6Gb/s*2 + SATA 3Gb/s*2	2*SATA 6Gb+2*SATA 3Gb
Audio	8-CH(HD) / ALC887	ALC887-VD 8-CH(HD) CODEC
LAN	Gb Realtek PCIe	Gigabit LAN Controller
USB	8*USB 2.0 & 2*UASP(USB 3.0)	8*USB 2.0&2*UASP
ราคา	2,247.-	2,290.-

**H81M-D**

ASU-90MB0HT1M0UAY3

**Asus MB H81-Plus**

ASU-90MB0GC0M0UAY0

**Asus MB H81M-E**

ASU-90MB0GH0M0UAY1

CPU/ Chipset	Intel®Generation/ Socket LGA1150 / Chipset H81	Intel® Socket 1150 for 4th Generation	Intel®4th Generation / Socket LGA1150 / Chipset H81
Form Factor	uATX , 8.9 inch x 7.2 inch	Mini ITX Form Factor	uATX Form Factor
Memory support	2*DIMM/Max.16GB/DDR3(Dual Channel)	2 x U-DIMM, Max. 16GB	2 x DIMM, Max. 16GB
Expansion Slots	1(PCIe x16) +2(PCIe 2.0x1)	1 x PCIe 2.0 x162 x SATA 6Gb/s port(s),	1 x PCIe x16 /2 x PCIe 2.0 x1 2 x SATA 6Gb/s port(s)
Storage	2*SATA 6Gb2*SATA 3Gb	Share1G(1024MB), Supports HDMI , Supports DVI ,Supports RGB	Share1G(1024MB) DVI/RGB ports &1 x D-Sub + 1 x RGB-Sub + 1
Audio	ALC887-VD 8-CH(HD) CODEC	Realtek® ALC887 8-Ch HD Audio CODEC	Realtek® ALC887 8-Ch HD Audio CODEC
LAN	Gigabit LAN Controller	RTL8111G, 1 x Gigabit LAN Controller(s)	8111G, 1 x Gigabit LAN Controller(s)
USB	6*USB 2.0 & 2*UASP	4 x USB 3.0 port(s)8 x USB 2.0/1.1 port(s)	8*USB 2.0/1.1 port & 2*UASP
ราคา	2,045.-	2,932.-	2,045.-

**H81M-PLUS**

ASU-90MB0GI0M0UAY0

**Asus MB H81M-K**

ASU-90MB0HI0M0UAY1

**H81M-D Plus**

ASU-90MB0HW0M0UAY0

CPU/ Chipset	Intel® Socket 1150 for 4th Generation Core™	Socket LGA1150 / Chipset H81	Intel®4th Generation / Socket LGA1150 / Chipset H81
Form Factor	uATX Form Factor	ATX Form Factor	uATX Form Factor
Memory support	2 x DIMM, Max. 16GB	2 x DIMM, Max. 16GB, DDR3	2 x DIMM, Max. 16GB
Expansion Slots	1 x PCIe x16 /3 x PCIe 2.0 x1	1 x PCIe x16 /2 x PCIe 2.0 x12 x SATA 6Gb/s port(s)	1 x PCIe x16 , 2*(PCIe x1 Slots) SATA 6Gb/s*2 + SATA 3Gb/s*2
Storage	1 x M.2 Socket 3 , 6 x SATA 6Gb/s port(s) RAID 0, 1, 5, 10 HDMI/DVI-D/RGB	Share1G(1024MB) &1 x D-Sub + 1 x RGB-Sub + 1	Share 1G(1024MB) & 1 x PCIe x16 8-CH(HD) / ALC887
Audio	Realtek® ALC887 8-Ch HD Audio CODEC	Realtek® ALC887 8-Ch HD Audio CODEC	Realtek®
LAN	8111G, 1 x Gigabit LAN Controller(s)	8111G, 1 x Gigabit LAN Controller(s)	8111G, 1 x Gigabit LAN Controller(s)
USB	2xUSB 2xUSB 3.0/2.0 port(s) /8 x USB 2.0 port(s)	6 x USB 2.0 port(s)/1.1 port & 2*UASP	2 x (3.0/2.0) /6 x USB 2.0 /2 x (3.0/2.0) port(s)
ราคา	2,515.-	1,905.-	2,055.-

Asus : Mainboard



Z97-PRO(Wi-Fi AC)
ASU-90MB0110M0UAY0



Z97-K
ASU-90MB010P0M0UAY5



Asus MB Z97-A/USB 3.1
ASU-90MB0L60M0UAY0

CPU/ Chipset	Intel®5th/New 4th/4th/Chipset Z97/ Socket LGA1150	Intel®4th Generation / Chipset Z97 / Socket LGA1150	Intel® Socket 1150
Form Factor	ATX Form Factor , 12.0 inch x 9.6 inch	ATX Form Factor	ATX Form Factor
Memory support	4*DIMM/Max.32GB/DDR3/Dual Channel	4DDR3(Dual Channel) / Max.32G	4 x DIMM, Max. 32GB, DDR3
Expansion Slots	1*PCIe 3.0/2.0 x16	1xPCIe 3.0/2.0 x16 +1 x PCIe 2.0 x16+2xPCIe2.0 x1 ,2xPCI+2xPCI SATA 6Gb/s*6(RAID0,1,5,10)	2xPCIe 3.0/2.0 x16,1 x PCIe 2.0 x 16*1, 2 x PCIe 2.0 x1*2, 2 x PCI
Storage	1(SATA Express)/1(M.2 Socket 3) /4(SATA 6Gb/s)RAID 0,1,5,10	Share512MB & 1 x D-Sub + 1 x DVI + 1 x HDMI	1 x SATA Express port, 1 x M.2 Socket 3, 4 x SATA 6Gb/s port(s),
Audio	8-CH(HD) with ASUS Crystal Sound 2	Realtek® ALC887 8-Channel HD	Realtek® ALC892 8-Ch HD CODEC
LAN	Dual Interconnect (MAC) & (PHY)	Realtek® I211GR,	Intel® I218V, 1 x Gigabit LAN
USB	6(USB 3.0/2.0)/6(USB 2.0/1.1)/2(USB port)	8*USB 2.0 & 6*UASP(USB 3.0)	6 xUSB3.0/2.0,6 x USB 2.0/1.1,2xUSB 3.1/3.0/2.0
ราคา	10,775.-	4,569.-	7,255.-



Maximus VII Impact GAMING
ASU-90MB0J0M0UAY0



MAXIMUS VII HERO GAMING
ASU-90MB0I00M0UAY0



MAXIMUS VIII GENE GAMING
ASU-90MB0B0M0UAY0

CPU/ Chipset	Intel®5th /New 4th /4th / Generation Chipset Z97 / Socket LGA1150	Intel®4th Generation Core / Chipset Z97 / Socket LGA1150	Intel® Socket 1151 for 6th Generation Core/ Chipset Intel® Z170
Form Factor	Mini ITX Form Factor	ATX Form Factor ,12 inch x 9.6 inch	mATX Form Factor
Memory support	2 x DIMM, Max. 16GB	4DDR3(Dual Channel) / Max.32G	4 x DIMM, Max. 64GB, DDR4
Expansion Slots	1 x PCIe 3.0/2.0 x16 +1 x mini-PCIe 2.0 x1 4 x SATA 6Gb/s port(s),	2 x PCIe 3.0/2.0 x16 (1x16 or dual x8) + 1 x PCIe 2.0 x16 (max. x4)	2 x PCIe 3.0/2.0 x16 / 1 x PCIe 3.0 x4 1 x M.2 Socket 3 / 2 x SATA Exp port / 6 x SATA 6Gb/s port HDMI 1.2 ports
Storage	Max Share(512MB) & 1 x HDMI-Sub + 1 x D-Sub + 1	Share512MB & 1 x D-Sub + 1 x DVI + 1 x HDMI	
Audio	ROG SupremeFX Impact II 8-Ch HD	ROG SupremeFX 8-Channel High Definition	ROG SupremeFX 2015 8-Ch HD
LAN	I218V, 1 x Gigabit LAN Controller(s)	Gb Intel ,(PHY)	Intel® I219V, 1 x Gigabit LAN Controller(s)
USB	6 x USB 2.0 /1.1 port(s) & 6 x USB 3.0 port(s)	7*USB 3.0/2.0 port & 6*UASP	8 x USB 3.0/ 4 x USB 2.0/ 1 x USB 3.1 port(s)
ราคา	10,080.-	10,122.-	10,476.-



MAXIMUS VIII RANGER GAMING
ASU-90MB0I0E0M0UAY0



MAXIMUS VIII EXTREME
ASU-90MB0L0U0M0UAY0



SABERTOOTH Z97 MARK 1
ASU-90MB0I40M0UAY0

CPU/ Chipset	Intel® Socket 1151 for 6th Generation Core/ Chipset Intel® Z170	Intel® Socket 1151 for 6th Chipset Intel® Z170	Intel®4th Generation / Chipset Z97 / Socket LGA1150
Form Factor	ATX Form Factor	Extended ATX Form Factor	ATX Form Factor
Memory support	4 x DIMM, Max. 64GB, DDR4 3400	4 x DIMM, Max. 64GB	4DDR3(Dual Channel) / Max 32G
Expansion Slots	2 x PCIe 3.0/2.0 x16) + 1 x 1 x PCIe 3.0/2.0 x16 +3 x PCIe 3.0/2.0 x1	3 x PCIe 3.0/2.0 x16, 1 x PCIe 3.0/ 2.0 x16, 2 x PCIe 3.0/2.0 x1 (black)	2 x PCIe 3.0/2.0 x16 (1x16 or dual x8) + 1 x PCIe 2.0 x16 (max. x4)
Storage	1 x M.2 Socket 3 /6 x SATA 6Gb/s port(s) / 2 x SATA Express port	1 x M.2 x4 Socket 3with M Key/ 6 x SATA 6Gb/s port / 2 x SATA Express port	SATA 6Gb/s*4 + SATA Express*1 Share512MB & 1 x HDMI + 1 x DP
Audio	ROG SupremeFX 2015 8-Channel HD	ROG SupremeFX 2015 8-Ch HD	8-CH(HD)
LAN	Intel® I219V, 1 x Gigabit LAN Controller(s)	Intel® I219V, 1 x Gigabit LAN Controller(s)	1 x Gb Intel PCIe + 1 x Gb Realtek PCIe,(PHY)
USB	6 xUSB3.0/8xUSB2.0/1xUSB 3.1port(ASMedia)	8 x USB 3.0,6xUSB2.0,2xUSB3.1 , 2xUSB 3.1	8*USB 2.0 & 6*UASP&2 x USB 3.0/2.0
ราคา	9,288.-	19,380.-	11,567.-

Asus : Mainboard



SABERTOOTH 990FX R2.0
ASU-MIBJA0G0UAY0VZ



H97M-E
ASU-90MB0IQ0M0UAY0



H61M-D
ASU-90MB0GS0M0UAY0

CPU/ Chipset	AMD AM3+/ Chipset AMD 990FX/SB950	Intel®5th/New 4th/4th/ Chipset Z97 / Socket LGA1150	Intel® 3rd/2nd Generation/ Socket LGA1155 /Chipset H61
Form Factor	ATX Form Factor	mATX Form Factor	uATX Form Factor
Memory support	4*DIMM/Max.32GB	4DIMM/Max.32GB/DDR3 Dual CH	2DDR3(Dual Channel)/ Max.16Gb
Expansion Slots	3(PCIe 2.0 x16)*1(PCIe 2.0 x16) /1(PCIe 2.0 x1)/1*PCI	1xPCIe3.0/2.0x16, 3xPCIe2.0x1	1 x PCIe 3.0/2.0 x16 *1 , 2(PCIe x1 Slots)
Storage	6*SATA6Gb(RAID 0, 1, 5, 10), 2*SATA 6Gb,2*eSATA 6Gb	SATA 6Gb/s*4 (RAID 0,1,5,10)/ 1 x M.2 Socket 3	4 x SATA 3Gb/s port(s)
Audio	ALC892, 8-Ch HD Audio CODEC	ALC887 8-CH(HD)	Realtek® ALC887 8-Ch HD
LAN	8111F, 1 x Gigabit LAN Controller	8111GR,1(Gigabit LAN Controller)	Realtek® 8111F
USB	12*USB2.0/1.1&6*UASP(USB3.0/2.0)	8*USB 2.0/1.1 & 6*UASP(USB 3.0/2.0)	10 x USB 2.0 port(s)
ราคา	8,132.-	3,070.-	1,809.-



Asus MB H97-Pro Gamer
ASU-90MB0JW0M0UAY0



Asus MB H110M-A D3
ASU-90MB0NP0M0UAY0



Asus MB X99-PRO/USB 3.1
ASU-90MB0LCO0M0UAY0

CPU/ Chipset	Intel®4th Generation / Chipset H97 / Socket LGA1150	Intel® Socket 1151 for 6th Generation Core / Chipset Intel® H110	Intel® Socket 2011-v3 Core™ i7 Processors
Form Factor	ATX	uATX Form Factor	ATX Form Factor
Memory support	4DDR3(Dual Channel) / Max 32G	2 x DIMM, Max. 32GB, DDR3	8 x DIMM, Max. 64GB,
Expansion Slots	1 x PCIe 3.0/2.0 x16 + 1 x PCIe 2.0 x16 SATA 6Gb/s*4 + SATA Express*1	1 x PCIe x16 /2 x PCIe 2.0 x1 4 x SATA 6Gb/s port(s), gray,	3 x PCIe 3.0/2.0 x16,3 x PCIe 3.0/2.0 x16,1 x PCIe 2.0 x16,2 x PCIe 2.0 x1
Storage	Share512MB & 1 x D-Sub + 1 x DVI + 1 x HDMI	Maximum shared memory of 1024 MB , HDMI/RGB ports	2 x M.2 Socket 3 + SATA Express*1 + 8 x SATA 6Gb/s port(s)
Audio	SupremeFX	ALC887-VD2 8-Channel HD	Realtek® ALC1150 8-Ch HD
LAN	Gb Intel PHY	Realtek® RTL8111H, 1 x Gigabit LAN Controller(s)	Intel® I218V
USB	8*USB 2.0 & 6*UASP(USB 3.0)	4 x USB 3.0/2.0 port(s) , 6 x USB 2.0/1.1 port(s)	5*USB 3.0/2.0
ราคา	4,130.-	2,675.-	13,493.-



A68HM-K
ASU-90MB0KU0M0UAY0



Asus MB A68HM-E
ASU-90MB0KW0M0UAY0



Asus MB B150M-PLUS D3
ASU-90MB0M80M0UAY0

CPU/ Chipset	AMD Socket FM2+ Athlon™/A- Series / CPU up to 4 cores/Chipset AMD A78	AMD Socket FM2+ Athlon™/A- Series / CPU up to 4 cores/Chipset AMD A68H FCH	Intel® 6th Core™ i7/ i5 / i3, Pentium / Socket LGA1151
Form Factor	mATX Form Factor	mATX Form Factor	microATX
Memory support	1 x PCIe 3.0/2.0 x16, 1 x PCIe 2.0 x1 ,1 x PCI	2 x DIMM, Max. 32GB, DDR3 (Dual Channel) 1 x PCIe 3.0/2.0 x16,1 x PCIe 2.0 x1 ,1 x PCI	4DDR3(Dual Channel) 1 x PCIe 3.0/2.0 x16 + 1 x PCIe 2.0 x16/CrossFireX@x16/x4
Storage	6 x SATA 6Gb/s port(s)	6 x SATA 6Gb/s port(s), gray HDMI/DVI/RGB supports,Integrated AMD Radeon	SATA 6Gb/s*6 1G(1024MB) , 1 x D-Sub + 1 x DVI + 1 x HDMI
Audio	ALC887-VD 8-Ch HD	ALC887-VD 8-Channel HD	8-CH(HD) /ALC 887
LAN	8111GR, 1 x Gigabit LAN Controller(s)	8111GR, 1 x Gigabit LAN Controller(s)	Gb Realtek PCIe
USB	4 x USB 3.0/2.0 ,6 x USB 2.0/1.1	2 x USB 3.0 port(s) ,6 x USB 2.0/1.1 port(s)	6*UASP USB 3.1 Boost
ราคา	1,715.-	1975.-	3,617.-

Asus : Mainboard



Asus MB B85-PRO Gamer GAMING
ASU-90MBOIKOM0UAY0



Asus MB B85M-G
ASU-90MBOG50M0UAY5



Asus MB B150-PLUS D3
ASU-90MBON90M0UAY0

CPU/ Chipset	Intel® Socket 1150 for 4th gen /Chipset B85	Intel® Socket 1150 for 4th gen / Chipset B85	Intel® 6th Core™ i7/ i5 / i3, Pentium / Socket LGA1151
Form Factor	ATX Form Factor	mATX Form Factor	ATX
Memory support	4 x DIMM, Max. 32GB, DDR3	4 x DIMM, Max. 32GB, DDR3	4DDR3(Dual Channel)
Expansion Slots	1 x PCIe 3.0/2.0 x16 + 1 x PCIe 2.0 x16 (@x4 mode)	1 x PCIe 3.0/2.0 x16 , 2 x PCIe 2.0 x1 SATA 6Gb/s*4 + SATA 3Gb/s*2	1 x PCIe 3.0/2.0 x16 + 1 x PCIe 2.0 x16/CrossFireX@x16/x4
Storage	SATA 6Gb/s*4 gray + SATA 3Gb/s*2 black Share1G(1024MB) & 1 x D-Sub + 1 x DVI + 1 x HDMI	Share1G(1024MB) & 1 x D-Sub + 1 x DVI + 1 x HDMI	SATA 6Gb/s*6 1G(1024MB) , 1 x D-Sub + 1 x DVI
Audio	SupremeFX 8-Channel HD	Realtek® ALC887-VD2 8-Channel HD	8-CH(HD) /ALC 887
LAN	Intel® I217V, 1 x Gigabit LAN Controller(s)	Realtek® 8111G, 1 x Gigabit LAN Controller(s)	Gb Realtek PCIe
USB	8*USB 2.0/1.1 port & 4*UASP	8*USB 2.0/1.1 port & 4*UASP(USB 3.0/2.0 port)	5*UASP USB 3.1 Boost
ราคา	4,045.-	2,590.-	3,831.-



Asus MB H170M-E D3
ASU-90MBON70M0UAY0



Asus MB H170 PRO
ASU-90MBONCOM0UAY0



Asus MB Z97-A
ASU-90MBOIDOM0UAY0

CPU/ Chipset	Intel® 6th Core™ i7/ i5 / i3, Pentium Socket LGA1151	Intel® 6th Core™ i7/ i5 / i3, Pentium Socket LGA1151	Intel®4th Generation / Chipset Z97 / Socket LGA1150
Form Factor	microATX , 24.4cm*22.2cm	ATX , 30.5cm*24.4cm	ATX Form Factor
Memory support	4DDR3(Dual Channel)	4DDR4(Dual channel)	4 x DIMM, DDR3
Expansion Slots	1 x PCIe 3.0/2.0 x16 + 1 x PCIe 3.0/2.0 x16 / CrossFireX@x16/x4	1 x PCIe 3.0/2.0 x16 + 1 x PCIe 3.0/2.0 x16/CrossFire @x16/x4	2 x PCIe 3.0/2.0 x16+1xPCIe 2.0x16
Storage	SATA 6Gb/s*4 (RAID0,1,5,10)1G(1024MB) SATA 6Gb/s*4 (RAID 0,1,5,10) + SATA Express*1 1 x D-Sub + 1 x DVI + 1 x HDMI	SATA 6Gb/s*4 (RAID 0,1,5,10) + SATA Express*1 512 , 1 x D-Sub + 1 x DVI + 1 x HDMI + 1 x DP	SATA 6Gb/s*4 + 1xSATA Express,1xM.2 Socket 3 Share512MB & 1 x D-Sub + 1 x DVI + 1 x HDMI + 1 x DP
Audio	8-CH(HD) /ALC 887	SupremeFX Audio Card / ALC1150	8-CH(HD) with ASUS Crystal Sound 2
LAN	Gb Realtek PCIe	Gb IntelGb Intel	Gb Intel PHY
USB	8*UASP 3.1 Boost	6*UASP USB 3.1 Boost	8*USB 2.0 & 6*UASP(USB 3.0)
ราคา	3,660.-	4,644.-	5,799.-



Asus MB Z97-C
ASU-90MBOIIM0UAY5



Asus MB H170 PRO GAMING
ASU-90MBOMS0M0UAY0



Asus MB Z170 PRO GAMING
ASU-90MBOMDOM0UAY0

CPU/ Chipset	Intel® 1150 5th//4th Generation Core™ i7/ i5/i3/ Pentium®/Celeron® Processor/Chipset Z97	Intel® 6th Core™ i7/ i5 / i3, Pentium / Socket LGA1151	Intel® 6th Core™ i7/ i5 / i3, Pentium® / Socket 1151
Form Factor	ATX Form Factor	ATX , 30.5cm*24.4cm	ATX Form Factor ,30.5cm*24.4cm
Memory support	4 x DIMM, Max. 32GB	4DDR4(Dual channel)	4DDR4(Dual channel)
Expansion Slots	1 x PCIe 3.0/2.0 x16 , 1 x PCIe 2.0 x16, 2 x PCIe 2.0 x1 , 3 x PCI	1 x PCIe 3.0/2.0 x16 + 1 x PCIe 3.0/2.0 x16/CrossFire @x16/x4	2 x PCIe 3.0/2.0 x16 + 1 x PCIe 3.0 x16
Storage	1 x M.2 Socket 3, 4 x SATA 6Gb/s port(s), gray Share(512MB), HDMI/DVI-D/RGB ports -Sup	SATA 6Gb/s*4 (RAID 0,1,5,10) + SATA Express*1 512	SATA 6Gb/s*4 (RAID 0, 1,5, 10) + SATA Express*1Share(512MB)
Audio	ALC892 8-Channel High Definition Audio CODEC	SupremeFX Audio Card / ALC1150	SupremeFX , ALC1150
LAN	I218V, 1 x Gigabit LAN Controller(s)	Gb IntelGb Intel	Gb Intel PHY
USB	6 x 3.0/2.0 port(s)/8 x 2.0/1.1 port(s)	6*UASP USB 3.1 Boost	8*UASP USB 3.1 Boost
ราคา	5,545.-	4,858.-	6,634.-

Asus : VGA



Inspiring Innovation • Persistent Perfection

EN210 SILENT/DI/1GD3/V2
ASU-C1CP6ZL0UANAYZ

Asus VGA 210-1GD3-L
ASU-C1CS40L0UANAYZ

GT740-DFOC-2GD5
ASU-90YV06H0M0NA00

Graphics Engine	NVIDIA GeForce 210	NVIDIA GeForce 210	NVIDIA GeForce GT 740
Bus Standard	PCI Express 2.0	PCI Express 2.0	PCI Express 3.0
Video Memory	1GBDDR3(1200 MHz)/64-bit	DDR3 1GB	GDDR5 2GB
Engine Clock	PCIe power required	589 MHz	1071 MHz
Memory Clock	1200 MHz (600 MHz DDR3)	1200 MHz (600 MHz DDR3)	5000 MHz (GDDR5)
RAMDAC	400 MHz	400 MHz	n/a
Memory Interface	64-bit	64-bit	128-bit
Resolution	DVI : 2560x1600 D-Sub : 2048x1536	D-Sub : 2048x1536, DVI : 2560x1600, Digital Resolution:2560x1600	n/a
Interface	D-Sub Output : Yes*1 , DVI Output : Yes*1 HDMI Output : Yes*1	D-Sub Output : Yes x 1, DVI Output : Yes x 1 HDMI Output : Yes x 1, HDCP Support : Yes	D-Sub:Yes x 1(Native),DVI:Yes x 2(Native)(DVI-D) HDMI :Yes x 1(Native) ,HDCP Support : Yes
Power Consumption	up to 75Wno additional	up to 75Wno additional PCIe power required	n/a
Software	ASUS Utilities & Driver	ASUS Utilities & Driver	ASUS GPU Tweak & Driver
ASUS Features	Silent Series	Fan Sink	n/a
Dimensions	7" x 4.76" Inch	6.8 " x 4.8 " x 0.8 " Inch	8.6 " x 4.7 " x 1.5 " Inch
ราคา	1,070.-	1,070.-	4,710.-


STRIX-GTX950-DC2OC-2GD5-GAMING
ASU-90YV08V0M0NA00

GTX950-OC-2GD5
ASU-90YV08V2M0NA00

STRIX-GTX960-DC2OC-4GD5
ASU-90YV07Q0M0NA00

Graphics Engine	NVIDIA GeForce GTX 950	NVIDIA GeForce GTX 950	NVIDIA GeForce GTX 960
Bus Standard	PCI Express 3.0	PCI Express 3.0	PCI Express 3.0
Video Memory	GDDR5 2GB	GDDR5 2GB	GDDR5 4GB
Engine Clock	GPU : 1355 MHZ , GPU Base : 1165 MHZ	GPU : 1279 MHZ,GPU Base : 1102 MHZ	GPU Boost :1317 MHZ,GPU Base:1253 MHZ
Memory Clock	768	768	1024
RAMDAC	6610 MHz (DDR5)	6610 MHz	7010 MHz (GDDR5)
Memory Interface	128-bit	128-bit	128-bit
Resolution	n/a	Digital Max Resolution : 1920x1200	n/a
Interface	DVI : Yes x 1, Yes x 1 ,HDCP Support : Yes HDMI : Yes x 1,Display Port : Yes x 1 (Native)	DVI : Yes x 1, HDCP Support : Yes HDMI : Yes x 1 , Display Port : Yes x 1	DVI Output : Yes x 1,HDMI Output : Yes x 1 Display : Yes x 3 (Native),HDCP Support : Yes
Power Consumption	1 x STRIX Laser Sticker		1 x DVI to VGA adaptor, 1 x STRIX Laser Sticker
Software	ASUS GPU Tweak II & Driver	ASUS GPU Tweak II & Driver	ASUS GPU Tweak & Driver
ASUS Features	n/a		
Dimensions	8.7 " x 4.9 " x 1.6 " Inch	8.3 " x 4.5 " x 1.6 " Inch	8.47 " x 4.77 " x 1.61 " Inch
ราคา	6,710.-	5,830.-	8,460.-


Asus VGA R5230-SL-1GD3-L
ASU-90YV06B0M0AA00

Asus VGA R5230-SL-2GD3-L
ASU-90YV06A0M0AA00

R7240-2GD3-L
ASU-90YV04T0M0NA00

Graphics Engine	AMD Radeon R5 230	AMD Radeon R5 230	AMD Radeon R7240
Bus Standard	PCI Express 2.1	PCI Express 2.1	PCI Express 3.0
Video Memory	DDR3 1GB	DDR3 2GB	2GBDDR3 ,900 MHz(1800GHz) ,128-bit
Engine Clock	625 MHz	650 MHz	7.80 MHz
Memory Clock	1200 MHz (600 MHz DDR3)	1200 MHz (600 MHz DDR3)	900MHz (1800 MHz DDR3)
RAMDAC			
Memory Interface	64-bit	64-bit	128-bit
Resolution	DVI Max Resolution : 2560x1600, Digital Max Resolution:2560x1600	DVI Max Resolution : 2560x1600, Digital Max Resolution:2560x1600	DVI Max Resolution : 1920x1200
Interface	D-Sub Output :Yes x1,DVI Output :Yesx1(DVI-D) HDMI Output :Yes x 1, HDCP Support : Yes	D-Sub Output:Yesx1,DVI Output:Yesx1(DVI-D) HDMI Output :Yesx1,HDCP Support:Yes	D-Sub Output :Yes*1,DVI Output: Yes*1 HDMI Output :Yes*1,HDCP Support:Yes
Power Consumption	up to 75Wno	up to 75Wno	up to 75Wno additional
Software	ASUS Utilities & Driver	ASUS Utilities & Driver	ASUS GPU Tweak & Driver
ASUS Features			Super Alloy Power ,Silent Series
Dimensions	6.6 " x 2.7 " Inch	6.7 " x 2.7 " Inch	6.18 " x 2.71 " x 1.57 " Inch
ราคา	1,550.-	1,840.-	2,320.-

Asus : VGA



R7250-1GD5
ASU-90YV04S0M0NA00



Asus VGA R7250-OC-2GD3
ASU-90YV0640M0NA00



STRIX-R7370-DC20C-2GD5-GAMING
ASU-90YV07Z1M0NA00

Graphics Engine	AMD Radeon R7 250	AMD Radeon R7 250	AMD Radeon™ R7370
Bus Standard	PCI Express 3.0	PCI Express 3.0	PCI Express 3.0
Video Memory	GDDR5 1024MB/1150 MHz /128-bit	DDR3 2GB	GDDR5 2GB
Engine Clock	GPU Boost : 1050 MHz, GPU Base : 1000 MHz	GPU Boost : 1110 MHz, GPU Base : 1060 MHz	1050 MHz
Memory Clock	1150 MHz (900 MHz DDR3)	1800 MHz (900 MHz DDR3)	5600 MHz
RAMDAC	PCIe power required		
Memory Interface	128-bit	128-bit	256-bit
Resolution	DVI Max Resolution : 1920x1200	DVI:1920x1200, Digital:2560x1600	DVI Max Resolution : 2560x1600
Interface	D-Sub Output :Yes*1,DVI Output :Yes*1 HDMI Output:Yes*1,HDCP Support:Yes	D-Sub : Yes x 1 , DVI : Yes x 1 HDMI : Yes x 1 , HDCP : Yes	DVI-I : Yes x 1 , DVI-D : Yes x 1 HDMI :Yes x 1,HDCP:Yes,Display 1.2 :Yes
Power Consumption	up to 75Wno additional	up to 75Wno additional PCIe power required	N/A
Software	ASUS GPU Tweak & Driver	ASUS GPU Tweak & Driver	ASUS GPU Tweak 2 & Driver
ASUS Features	Super Alloy Power	OC Series ,Super Alloy Power	N/A
Dimensions	16 x 11.1 x3.4 Centimeter	6.12 " x 4.37 " x 1.48 " Inch	8.98 " x 4.88 " x 1.57 " Inch
ราคา	3,280.-	3,280.-	7,286.-



STRIX-R7370-DC20C-4GD5-GAMING
ASU-90YV0850M0NA00



STRIX-R9380-DC20C-2GD5-GAMING
ASU-90YV08D0M0NA00



GT730-2GD3
ASU-90YV06K0M0NA00

Graphics Engine	AMD Radeon™ R7370	AMD Radeon™ R9380	NVIDIA GeForce GT 730
Bus Standard	PCI Express 3.0	PCI Express 3.0	PCI Express 2.0
Video Memory	GDDR5 4GB	GDDR5 2GB	2GB DDR3 ,800 MHz (1600 MHz)
Engine Clock	1050 MHz	990 MHz	N/A
Memory Clock	5600 MHz	5500 MHz	
RAMDAC			
Memory Interface	256-bit	256-bit	
Resolution	DVI Max Resolution : 2560x1600	DVI Max Resolution : 2560x1600	DVI Max Resolution : 2560x1600
Interface	DVI-I : Yes x 1 , DVI-D : Yes x 1 HDMI : Yes x 1 , HDCP : Yes,Display 1.2 : Yes	DVI-D *1 Yes , DVI-I*1 Yes HDMI *1 Yes ,Display 1.2 *1 Yes	D-Sub Output : Yes*1,DVIOutput : Yes*1 HDMI Output:Yes*1,HDCP Support: Yes
Power Consumption			
Software	1*Crossfire Cable , 1*STRIX Laser sticker	1*STRIX Laser Sticker	
ASUS Features	ASUS GPU Tweak 2 & Driver	ASUS GPU Tweak 2 & Driver	
Dimensions	8.43" x 4.92" x 1.65" Inch	10.67" x 5.47" x 1.65" Inch	6.42 " x 4.37 " x 1.378 " Inch
ราคา	8,097.-	9,818.-	2,320.-



GT740-OC-2GD5
ASU-90YV06I0M0NA00



STRIX-GTX970-DC20C-4GD5
ASU-90YV07F0M0NA00



STRIX-GTX750TI-OC-2GD5
ASU-90YV06W0M0NA00

New

Graphics Engine	NVIDIA GeForce GT 740	NVIDIA GeForce GTX 970	NVIDIA GeForce GTX 750 Ti
Bus Standard	PCI Express 3.0	PCI Express 3.0	PCI Express 3.0
Video Memory	DDR3 2GB , 1782 MHz (891 MHz DDR3)	GDDR5 4GB(7010 MHz GDDR5)/256-bit	GDDR5 2GB
Engine Clock	N/A		GPU Boost : 1202 MHz , GPU Base : 1124 MHz
Memory Clock			640
RAMDAC			128-bit
Memory Interface			n/a
Resolution	DVI Max Res : 2560x1600 / D-Sub : 2048x1536	N/A	
Interface	D-Sub :Yes*1,DVI Output :Yes*1(DVI-D) HDMI Output :Yes*1, HDCP Support : Yes	DVI :Yes(DVI-I), Yes*1(DVI-D) ,HDCP : Yes HDMI Output :Yes*1 ,Display Port: Yes*1	DVI Output:Yes x1(DVI-I),HDMI Output:Yes x 1 Display Port:Yes x 1 (Regular DP),HDCP : Yes
Power Consumption		up to 225W1 additional 8 pin	up to 75Wno
Software			
ASUS Features			ASUS GPU Tweak & Driver
Dimensions	7.05 " x 4.37 " x 1.34 " Inch	11 " x 5.5 " x 1.57 " Inch	7.7 " x 4.8 " x 1.5 " Inch
ราคา	3,690.-	14,190.-	5,360.-