

ราคา โทรศัพท์ PANASONIC

MODEL	รายละเอียด	ราคาปลีก
KX-TS500MXB/R/W/C/H	โทรศัพท์สายเดี่ยว	590
KX-TS820MXB/W	โทรศัพท์มีสาย (แทน T2371)	885
KX-TS840MXB/W	แฮนด์ฟรี (แทน T2373)	1,475
KX-TS880MXB/W	โซวเบอร์,แฮนด์ฟรี (แทน KX-TS600,T2375)	2,120
KX-TSC11MXB/W	โซวเบอร์	980
KX-T7703	โทรศัพท์โซวเบอร์	890
KX-T7705	โทรศัพท์โซวเบอร์+แฮนด์ฟรี	1,980
KX-T7716	โทรศัพท์โซวเบอร์+แฮนด์ฟรี+ปุ่มquik die จอใหญ่	2,110
KX-TS520MXB/W/C/R	โทรศัพท์สายเดี่ยว,3 One Touch Redial	690
KX-TS560MXB/W	โทรศัพท์สายเดี่ยว,Caller ID,	1,080
KX-TS580MXB/W	โทรศัพท์สายเดี่ยว,Speker Phone	2,170
KX-TS620BxB/W	โทรศัพท์มีสาย + เครื่องตอบรับอัตโนมัติ	2,490
KX-T2378MXW	โทรศัพท์ 2 ลาย พร้อมจอ	3,420
<u>โทรศัพท์ไร้สาย</u>		
KX-TG3811BxB	โทรศัพท์ไร้สาย2.4GHz(Dual Keypad)สีดำ	3,255
KX-TG3811BXM	โทรศัพท์ไร้สาย2.4GHz(Dual Keypad)+ระบบตอบรับสี่เมทลลิก	3,255
KX-TG3821BxB	โทรศัพท์ไร้สาย2.4GHz(Dual Keypad)+ระบบตอบรับสีดำ	3,945
KX-TGA381BxB	อุปกรณ์เสริม โทรศัพท์ไร้สาย2.4GHz(ตัวลูก)สีดำ	1,770
KX-TG3711BxB/N	โทรศัพท์ไร้สาย2.4GHzสีดำ,น้ำเงิน	1,965
KX-TG3712BxB/N	โทรศัพท์ไร้สาย2.4GHz(2 ตัวลูก)สีดำ,น้ำเงิน	3,355
KX-TG3721BxB/N	โทรศัพท์ไร้สาย2.4GHz+ระบบตอบรับ สีดำ,น้ำเงิน	2,660
KX-TG3722BxB/N	โทรศัพท์ไร้สาย2.4GHz+ระบบตอบรับ(2ตัวลูก) สีดำ,น้ำเงิน	3,945
KX-TGA371BxB/N	อุปกรณ์เสริม โทรศัพท์ไร้สาย2.4GHz(ตัวลูก)สีดำ	1,565
KX-TG3600BxB/S	โทรศัพท์ไร้สาย 2.4 Ghz สีดำ , สีขาวมุก	990
KX-TG3611BxB/S	โทรศัพท์ไร้สาย 2.4 Ghz พร้อมหน้าจอ สีดำ,สีขาวมุก	1,285
<u>โทรศัพท์ไร้สาย</u>		
KX-TG3651BXT	โทรศัพท์ไร้สาย 2.4 Ghz (2 in 1)	3,945
KX-TG3411BXC/P	โทรศัพท์ไร้สาย2.4 GHZ สีฟ้า,สีชมพู	1,090
KX-TG3412BXC/P	โทรศัพท์ไร้สาย2.4 Ghz สีฟ้า,สีชมพู(2ตัวลูก)	1,880
KX-TG3551BXM	โทรศัพท์ไร้สาย 2.4 GHz สีเมทลลิก	1,285
KX-TG3551BXW	โทรศัพท์ไร้สาย 2.4 GHz สีขาว	1,285
KX-TG3552BXM	โทรศัพท์ไร้สาย 2.4 GHz สีเมทลลิก (2 ตัวลูก)	2,270
KX-TG3552BXW	โทรศัพท์ไร้สาย 2.4 GHz สีขาว (2 ตัวลูก)	2,270
RP-TCA430	ชุดหูฟังครอบศีรษะ	1,000
	** ราคานี้ ยังไม่รวม VAT **	

Panasonic

KX-T2378

Advanced **ITS**

2LINE



HEADSET-READY

Headset Jack (Headset Optional)

Data Port



Dial Lock

ราคา 3,400 บาท



INTEGRATED TELEPHONE SYSTEM

KX-T2378 *Advanced ITS*

Outstanding Features with Built-In Quality

2-Line Operation with 3-Way Conference

Allows you to talk with a party on one line, dial a second party on the other line, and then conference both calls together.

Hands-Free Speakerphone

Built-in speakerphone allows for hands-free operation. You can let others in the room join in your conversations.

16-Digit LCD with Clock

The convenient 16-digit LCD displays dialed numbers, a duration of call, and date. You can also adjust LCD contrast.

Data Port

A second jack on the back of the phone allows you to connect a computer, modem, fax machine, answering machine or other single line device.

Auto Redial

Redials the last number called. If the line is busy, the unit automatically disconnects the call and then redials the number repeatedly at regular intervals. This is especially convenient when you have an important call to make to a busy number.

Additional Features

- 30-Station One-Touch/Speed Dialer
- Dial Lock
- Headset Jack
- Call Restriction
- Electronic Volume Control
- User Programmable Timed Flash (80/90/100/110/200/250/300/400/600/700 ms)
- Ringer Indicator
- Programmable Tone (DTMF)/Pulse Settings
- Insertable Pause (Time Delay)
- Ringer Selector: Off/Low/High
- Telephone Line-Powered Operation
- One-Touch Tone Switching
- One-Touch Wall Mountable
- Mute/Auto Pause

Specifications

Dial Mode:	Tone (DTMF)/Pulse	Pause:	1 second/5 seconds/Auto
Memory Capacity:	30 stations (22 digits)	Power Source:	Telephone Line/3 "AA" batteries
Redial:	One-touch (31 digits)	Dimensions (W x D x H):	167 mm x 224 mm x 95 mm
Flash:	80/90/100/110/200/250/300/400/600/700 ms	Weight:	730 g

Panasonic

Panasonic and National are the brandnames of Matsushita Electric.

Design and specifications are subject to change without notice.
0.6M1001SK-T2378JX-LT1 Printed in Japan

Panasonic
ideas for life

2.4GHz
GIGARANGE DIGITAL
CORDLESS PHONE

KX-TG3411BX
KX-TG3412BX



หวานได้...ไม่ขาดสาย

ราคา 1,090 บาท



● สมพู ● ฟาน้ำทะเล
KX-TG3411BX

ไม่ว่าอยู่ที่ไหนก็หวานไม่หยุด



● สมพู ● ฟาน้ำทะเล
KX-TG3412BX

● ใช้เป็น Intercom ติดต่อกันระหว่างเครื่องหลัก
และเครื่องรองได้โดยไม่เสียค่าโทรออก



- **หวาน** ด้วยสีชมพู และสีฟ้าน้ำทะเล กันสมัย
- **หวาน** ไม่เปลืองเพราะโทรเบอร์บ้าน
- **หวาน** ไม่ขาดตอนด้วยสัญญาณ 2.4 GHz Digital

- **หวาน** ไม่ต้องเดาด้วยระบบ caller ID
- **หวาน** ไม่มีหยุดคุยได้ต่อเนื่องถึง 10 ชั่วโมง
- **หวาน** ด้วยเสียงเรียกเข้าหลากหลาย

ติดตามเรื่องราวหวานๆ "หวานได้...ไม่ขาดสาย" ได้ที่ <http://youtu.be/gaOFqRAHGjo> และ www.facebook.com/PanasonicThailand



โทรศัพท์ไร้สาย 2.4 GHz ดิจิตอล

KX-TG3411BX/KX-TG3412BX

2.4GHz DIGITAL GIGARANGE

เพิ่มอรรถสมแห่งการสื่อสาร
ได้สนุกสนานยิ่งขึ้น

➔ หลากหลายคุณสมบัติเด่น



หน้าจอ LCD เรืองแสง



เสียงเรียกเข้าแบบดนตรี
14 แบบ/แบบเสียงกริ่ง
6 แบบ บนโทรศัพท์ไร้สาย



แบตเตอรี่ Ni-MH
Rechargeable
สะดวกต่อการใช้งาน



สมุดโทรศัพท์
หน่วยความจำ
50 หมายเลข



รองรับบริการ Caller ID
แสดงชื่อ และหมายเลข
เรียกเข้า 50 หมายเลข*1 *2

➔ คุณสมบัติอื่นๆ

- แสดงหมายเลขรอสาย*1
- ติดตั้งกับผนังกำแพงได้
- หน่วยความจำโทรซ้ำ 5 หมายเลข
- รับสายโดยปุ้มใดๆ

- นาฬิกา
- ประชุม 3 สายนอก*3
- ฟังก์ชัน Call Share (Barge in)*3
- อินเตอร์คอม (ระหว่างโทรศัพท์ไร้สาย)*3

- ค้นหาตำแหน่งโทรศัพท์ไร้สาย
- ระยะเวลาชาร์จแบตเตอรี่ 7 ชั่วโมง
- คอยต่อเนื่อง 10 ชั่วโมง (โทรศัพท์ไร้สาย)
- โหมดสแตนด์บาย 6 วัน (โทรศัพท์ไร้สาย)

*1 ต้องเปิดใช้บริการแสดงหมายเลขเรียกเข้าจากผู้ให้บริการโทรศัพท์ *2 ต้องลงทะเบียนในฟังก์ชันสมุดโทรศัพท์ *3 สำหรับรุ่น KX-TG3412 เท่านั้น

➔ คุณสมบัติเฉพาะ

คุณสมบัติเฉพาะ	KX-TG3411BX	KX-TG3412BX
ความถี่	2.4 GHz FHSS	
ช่องสัญญาณ	91 ช่องสัญญาณ	
จำนวนสายนอก	1 สายนอก	
แหล่งจ่ายไฟ	เครื่องฐาน	AC Adaptor
	โทรศัพท์ไร้สาย	แบตเตอรี่ Ni-MH Rechargeable (AAA x 2)
ขนาด (ก x ย x ส)	เครื่องฐาน	90 มม. x 100 มม. x 50 มม.
	โทรศัพท์ไร้สาย	49 มม. x 30 มม. x 159 มม.
	แท่นชาร์จ	72 มม. x 76 มม. x 43 มม.
น้ำหนัก	เครื่องฐาน	100 กรัม
	โทรศัพท์ไร้สาย	120 กรัม
	แท่นชาร์จ	50 กรัม

➔ หลากสี สัน ก้นสมัย

ราคา 1,090 บาท

KX-TG3411BX



สีฟ้า น้ำทะเล



สีชมพู

KX-TG3412BX



สีฟ้า น้ำทะเล



สีชมพู

บริษัทขอสงวนสิทธิ์ในการเปลี่ยนแปลงคุณสมบัติของเครื่อง โดยไม่ต้องแจ้งให้ทราบล่วงหน้า

สนใจโปรดสอบถามรายละเอียดได้ที่



Panasonic



Panasonic
ideas for life



Designed in Japan

2.4GHz
GIGARANGE DIGITAL
CORDLESS PHONE

KX-TG3611 BX
KX-TG3600 BX

Digital Cordless Phone **GIGARANGE**

โทรศัพท์ไร้สายดิจิทัล ใช้สะดวก คุ้ยสบาย



ใหม่ล่าสุด
สีขาวมุก

เทคโนโลยี 2.4 GHz (FHSS) ■

สัญญาณไฟแสดงเมื่อมีสายเรียกเข้า ■

ระบบ Speakerphone แบบดิจิทัล ■

ระบบไฟเรืองแสง (TG3611BX) ■

ฟังก์ชัน Caller ID แสดงชื่อ*¹ และ
หมายเลขเรียกเข้า*² 50 หมายเลข (TG3611BX)

สมุดโทรศัพท์หน่วยความจำ 50 หมายเลข
(TG3611BX)



สีดำ



สีขาวมุก

KX-TG3600 BX ราคา 990 บาท

โทรศัพท์ไร้สายดิจิทัล
พร้อมสัญญาณไฟ
แสดงสถานะการใช้งาน



สีดำ

สีขาวมุก

KX-TG3611 BX

โทรศัพท์ไร้สายดิจิทัล
พร้อมหน้าจอ Backlit
LCD อ่านง่ายชัดเจน



RoHS-specified
NO CHEMICAL USED[†]
substances



KX-TG3611BX / KX-TG3600BX

โทรศัพท์ไร้สาย 2.4 GHz ระบบดิจิทัล

GIGARANGE

หลากหลายคุณสมบัติเด่น



เทคโนโลยี 2.4 GHz (FHSS)

เทคโนโลยี FHSS ให้สัญญาณเสียงคมชัด แม้ใช้งานในระยะไกล



ระบบ Speakerphone แบบดิจิทัล (เครื่องมือถือ)

สามารถรับสายเรียกเข้าได้อย่างสะดวกสบาย แม้ขณะทำกิจกรรมอื่นๆ



สัญญาณไฟแสดงเมื่อมีสายเรียกเข้า (เครื่องมือถือ)

สัญญาณไฟจะสว่างขึ้นทันทีขณะมีสายเรียกเข้า เพื่อให้เห็นได้อย่างชัดเจน



แบตเตอรี่ AAA แบบ Rechargeable สะดวกในการใช้งาน (เครื่องมือถือ)

เนื่องจากใช้แบตเตอรี่ AAA แบบ Rechargeable ทั่วไป จึงสามารถทำการเปลี่ยนแบตเตอรี่ด้วยตนเองได้อย่างสะดวก ง่ายดาย (แบตเตอรี่แบบ Rechargeable: HHR-4MRT)



ระบบไฟเรืองแสง (เครื่องมือถือ) (TG3611BX)

เมื่อมีสายเรียกเข้า หรือสัมผัสกับปุ่มบนเครื่องมือถือ สัญญาณไฟ LCD เรืองแสงจะสว่างขึ้นทันที ดังนั้นจึงง่ายต่อการมองเห็นหมายเลขเรียกเข้า และง่ายต่อการใช้งานแม้อยู่ในพื้นที่มืด



สมุดโทรศัพท์หน่วยความจำ 50 หมายเลข (TG3611BX)

สามารถบันทึกชื่อ และหมายเลขโทรศัพท์ได้มากถึง 50 หมายเลข ทำให้ง่ายต่อการโทรออกได้อย่างรวดเร็ว



ฟังก์ชัน Caller ID แสดงชื่อ*1 และหมายเลขเรียกเข้า*2 50 หมายเลข (TG3611BX)

หน้าจอ LCD ในเครื่องมือถือจะแสดงชื่อ และหมายเลขเรียกเข้า ทำให้สามารถทราบชื่อ และหมายเลขปลายทางของสายที่เรียกเข้า ก่อนทำการรับสายนั้นๆ

คุณสมบัติอื่นๆ

- โหมดกลางคืน (TG3611BX)
- ฟังก์ชัน Ringer ID*1*2 (TG3611BX)
- ฟังก์ชัน Speed Dial 10 หมายเลข (TG3600BX)
- เสียงกริ่งเรียกเข้า 7 รูปแบบ (3 เสียงกริ่ง, 4 เสียงดนตรี)
- หน่วยความจำ Redial 5 หมายเลข (TG3611BX)
- หน่วยความจำโทรออกหมายเลขสุดท้าย (TG3600BX)
- รับสายโดยกดปุ่มใดๆ บนเครื่องมือถือ
- ฟังก์ชันนาฬิกา/ตั้งเวลาปลุก (TG3611BX)
- ปุ่มค้นหาเครื่องมือถือ (เครื่องฐาน)
- ระยะเวลา Standby นาน 11 วัน
- ระยะเวลาสนทนา 5 ชั่วโมง
- ระยะเวลาในการชาร์จแบตเตอรี่ 7 ชั่วโมง
- สามารถติดตั้งกับผนังกำแพงได้ (เครื่องฐาน)

คุณสมบัติเฉพาะ

คลื่นความถี่:	2.4 GHz
จำนวนช่องสัญญาณ:	90 ช่อง
จำนวนสายนอก:	1 สาย
รหัสรักษาความปลอดภัย:	มากกว่า 1 ล้านรหัส
แหล่งจ่ายไฟ	
เครื่องฐาน:	AC adapter
เครื่องมือถือ:	Ni-MH battery
ขนาด (สูง x กว้าง x ลึก)	
เครื่องฐาน:	59 x 122 x 118 มิลลิเมตร
เครื่องมือถือ:	155 x 48 x 32 มิลลิเมตร
น้ำหนัก	
เครื่องฐาน:	139 กรัม
เครื่องมือถือ:	126 กรัม (TG3611BX) 120 กรัม (TG3600BX)

*1 จำเป็นต้องจดทะเบียนการใช้งานสมุดโทรศัพท์ก่อน

*2 จำเป็นต้องสมัครใช้บริการ Caller ID กับบริษัทผู้ให้บริการโทรศัพท์ก่อน

สินค้าจริงอาจมีลักษณะแตกต่างจากภาพที่แสดง
รูปแบบการดีไซน์ และคุณสมบัติเฉพาะสินค้าอาจมีการเปลี่ยนแปลง
โดยไม่ต้องแจ้งให้ทราบล่วงหน้า

สนใจโปรดสอบถามรายละเอียดได้ที่



Panasonic



Panasonic

ideas for life

2.4GHz
GIGARANGE DIGITAL
CORDLESS PHONE

KX-TG3711BX
KX-TG3712BX
KX-TG3721BX
KX-TG3722BX



ขยายการใช้งานเครื่องไร้สายได้ถึง **6 เครื่อง**



โทรศัพท์ไร้สายพานาโซนิค 2.4 GHz ดิจิตอล

สื่อสารคมชัด ใช้งานง่าย

➔ ระบบตอบรับอัตโนมัติดิจิตอล
พร้อมแสดงจำนวนข้อความ
แบบตัวเลข 2 หลัก
(สำหรับรุ่น KX-TG3721BX/KX-TG3722BX)

➔ หน้าจอ LCD ขนาดใหญ่ 1.8 นิ้ว



ราคา 2,660 บาท



ราคา 1,960 บาท



โทรศัพท์ไร้สาย 2.4 GHz ดิจิตอล

KX-TG3711BX/KX-TG3712BX

ระบบตอบรับอัตโนมัติแบบดิจิทัล

KX-TG3721BX/KX-TG3722BX

2.4GHz
GIGARANGE DIGITAL
CORDLESS PHONE

เพิ่มอรรถรสแห่งการสื่อสาร
ได้สนุกสนานยิ่งขึ้น



หน้าจอ LCD เรืองแสง



เสียงเรียกเข้าแบบดนตรี
30 แบบ/แบบเสียงกริ่ง
10 แบบ



แบตเตอรี่ Ni-MH
Rechargeable
สะดวกต่อการใช้งาน



สมุดโทรศัพท์
หน่วยความจำ
100 หมายเลข



รองรับบริการ Caller ID
แสดงชื่อ และหมายเลข
เรียกเข้า 50 หมายเลข*1 *2

➔ คุณสมบัติอื่นๆ

- แสดงหมายเลขรอสาย*1
- ติดตั้งกับผนังกำแพงได้
- หน่วยความจำโทรล่าสุด 10 หมายเลข
- รับสายโดยปุ่มใดๆ
- นาฬิกา
- ประชุม 3 สายนอก*3
- ฟังก์ชัน Call Share*3
- อินเทอร์เน็ต (ระหว่างโทรศัพท์ไร้สาย)*3
- ค้นหาตำแหน่งโทรศัพท์ไร้สาย
- ระยะเวลาชาร์จแบตเตอรี่ 7 ชั่วโมง
- คอยต่อเนื่อง 10 ชั่วโมง
- โหมดสแตนด์บาย 6 วัน
- ระบบล็อกการโทรออก

ระบบตอบรับอัตโนมัติ

(สำหรับรุ่น KX-TG3721BX/KX-TG3722BX เท่านั้น)

- ควบคุมการส่งงานจากสายนอก (DTMF)
- ระยะเวลาการบันทึกข้อความได้รวมประมาณ 18 นาที

*1 ต้องเปิดใช้บริการแสดงหมายเลขเรียกเข้าจากผู้ให้บริการโทรศัพท์ *2 ต้องลงทะเบียนในฟังก์ชันสมุดโทรศัพท์ *3 สำหรับรุ่นที่มาพร้อมโทรศัพท์ไร้สาย 2 ชุดเท่านั้น

➔ คุณสมบัติเฉพาะ

คุณสมบัติเฉพาะ	KX-TG3711BX	KX-TG3721BX
ความถี่	2.4 GHz FHSS	2.4 GHz FHSS
ช่องสัญญาณ	91 ช่องสัญญาณ	91 ช่องสัญญาณ
จำนวนสายนอก	1 สายนอก	1 สายนอก
แหล่งจ่ายไฟ	เครื่องฐาน	เครื่องฐาน
โทรศัพท์ไร้สาย	แบตเตอรี่ Ni-MH Rechargeable (AAA x 2)	แบตเตอรี่ Ni-MH Rechargeable (AAA x 2)
ขนาด (ก x ย x ส)	เครื่องฐาน	เครื่องฐาน
โทรศัพท์ไร้สาย	49 มม. x 29 มม. x 159 มม.	49 มม. x 29 มม. x 159 มม.
แท่นชาร์จ	73 มม. x 76 มม. x 43 มม.	73 มม. x 76 มม. x 43 มม.
น้ำหนัก	เครื่องฐาน	เครื่องฐาน
โทรศัพท์ไร้สาย	140 กรัม	200 กรัม
แท่นชาร์จ	130 กรัม	130 กรัม
	50 กรัม	50 กรัม

➔ อุปกรณ์เสริมโทรศัพท์ไร้สาย

KX-TGA371BX



KX-TG3711BX



KX-TG3712BX



KX-TG3721BX

(พร้อมระบบตอบรับ
อัตโนมัติแบบดิจิทัล)



KX-TG3722BX

(พร้อมระบบตอบรับ
อัตโนมัติแบบดิจิทัล)



บริษัทของเรามีการเปลี่ยนแปลงคุณสมบัติของเครื่อง โดยไม่ต้องแจ้งให้ทราบล่วงหน้า

สนใจโปรดสอบถามรายละเอียดได้ที่



Panasonic



Panasonic

ideas for life

2.4GHz
GIGARANGE DIGITAL
CORDLESS PHONE

KX-TG3811BX
KX-TG3821BX



ขยายการใช้งานเครื่องไร้สายได้ถึง **6** เครื่อง



โทรศัพท์ไร้สายพานาโซนิค 2.4 GHz ดิจิตอล

สื่อสารคมชัด ใช้งานง่าย

- ➔ แสดงจำนวนข้อความบนหน้าจอ LCD พร้อมระบบตอบรับอัตโนมัติแบบดิจิทัล (สำหรับรุ่น KX-TG3821BX เท่านั้น)
- ➔ หน้าจอ LCD ขนาดใหญ่ 1.8 นิ้ว
- ➔ ใช้งานได้ทั้งเครื่องไร้สายและเครื่องฐาน

ราคา 3,900 บาท



สีดำ
KX-TG3821BX



ราคา 3,200 บาท



สีดำ
KX-TG3811BX

โทรศัพท์ไร้สาย 2.4 GHz ดิจิตอล

KX-TG3811BX

ระบบตอบรับอัตโนมัติแบบดิจิทัล

KX-TG3821BX

2.4GHz
GIGARANGE DIGITAL
CORDLESS PHONE

เพิ่มอรรถสมแห่งการสื่อสาร
ได้สนุกสนานยิ่งขึ้น

➔ หลากหลายคุณสมบัติเด่น



หน้าจอ LCD เรืองแสง



สมุดโทรศัพท์
หน่วยความจำ
100 หมายเลข



เสียงเรียกเข้าแบบดนตรี
30 แบบ/แบบเสียงกริ่ง
10 แบบ



รองรับบริการ Caller ID
แสดงชื่อ และหมายเลข
เรียกเข้า 50 หมายเลข*1 *2



แบตเตอรี่ Ni-MH
Rechargeable
สะดวกต่อการใช้งาน

➔ คุณสมบัติอื่นๆ

- แสดงหมายเลขรอสาย*1
- ติดตั้งกับผนังกำแพงได้
- หน่วยความจำโทรล่าสุด 10 หมายเลข
- รับสายโดยปุ่มใดๆ

- นาฬิกา
- ประชุม 3 สายนอก*3
- ฟังก์ชัน Call Share*3
- อินเตอร์คอม (ระหว่างโทรศัพท์ไร้สาย)*3

- ค้นหาตำแหน่งโทรศัพท์ไร้สาย
- ระยะเวลาชาร์จแบตเตอรี่ 7 ชั่วโมง
- คุยต่อเนื่อง 10 ชั่วโมง
- โหมดสแตนด์บาย 6 วัน
- ระบบล็อกการโทรออก

ระบบตอบรับอัตโนมัติ
(สำหรับรุ่น KX-TG3821BX เท่านั้น)

- ความคุมการสั่งงานจากสายนอก (DTMF)
- ระยะเวลาการบันทึกข้อความได้รวม
ประมาณ 18 นาที

*1 ต้องเปิดใช้บริการแสดงหมายเลขเรียกเข้าจากผู้ให้บริการโทรศัพท์ *2 ต้องลงทะเบียนในฟังก์ชันสมุดโทรศัพท์ *3 สำหรับรุ่นที่มาพร้อมโทรศัพท์ไร้สาย 2 ชุดเท่านั้น

➔ คุณสมบัติเฉพาะ

คุณสมบัติเฉพาะ		KX-TG3811BX	KX-TG3821BX
ความถี่		2.4 GHz FHSS	
ช่องสัญญาณ		91 ช่องสัญญาณ	
จำนวนสายนอก		1 สายนอก	
แหล่งจ่ายไฟ	เครื่องฐาน	AC Adaptor	
	โทรศัพท์ไร้สาย	แบตเตอรี่ Ni-MH Rechargeable (AAA x 2)	
ขนาด (ก x ย x ส)	เครื่องฐาน	159 มม. x 180 มม. x 134 มม.	
	โทรศัพท์ไร้สาย	48 มม. x 32 มม. x 173 มม.	
	แท่นชาร์จ	73 มม. x 79 มม. x 44 มม.	
น้ำหนัก	เครื่องฐาน	360 กรัม	370 กรัม
	โทรศัพท์ไร้สาย	140 กรัม	140 กรัม
	แท่นชาร์จ	50 กรัม	50 กรัม

➔ สีสัน กับสมัย

KX-TG3811BX



สีดำ

KX-TG3821BX

(พร้อมระบบตอบรับ
อัตโนมัติแบบดิจิทัล)



สีดำ

➔ อุปกรณ์เสริมโทรศัพท์ไร้สาย

KX-TGA381BX



สีดำ

บริษัทขอสงวนสิทธิ์ในการเปลี่ยนแปลงคุณสมบัติของเครื่อง โดยไม่ต้องแจ้งให้ทราบล่วงหน้า

สนใจโปรดสอบถามรายละเอียดได้ที่



Panasonic

Brand IP Cameras
Make Home More Secure



Panasonic

ideas for life

Integrated Telephone
System

KX-TS500ML

Five Colors to Match
Your Office Decor

ราคา 590 บาท



KX-TS500MLC

Choice of Five Colors

Electronic Volume Control

Wall Mountable

Last Number Redial

Timed Flash



KX-TS500ML

The KX-TS500ML delivers the basic performance a company needs plus reliable Panasonic quality. Connect multiple KX-TS500ML units to a Panasonic PBX (switchboard) to form a network for extension use throughout your office. With five appealing colors to choose from, the KX-TS500 makes a good fit in any office decor.

Outstanding Features with Built-In Quality

Choice of Five Colors

The KX-TS500ML comes in black, white, red, dark blue and grey. Choose one that adds a splash of color to your office, or the one that makes the best match with your office decor.

Wall Mountable

No room on your desk? Then mount the KX-TS500ML right on the wall, and enjoy its convenient features without giving up a lot of desk space.



Last Number Redial

This dials the number you most recently dialed. If you need to make a follow-up call or the line was busy the first time, just press the redial button.

Timed Flash

This function, which supports Call Waiting and PBX use, ensures that a caller is not accidentally cut off while on hold.

Electronic Volume Control

Even in mid-conversation, you can adjust the receiving volume of the handset to any of 6 levels.



3-Step Ringer Selector

The ringer volume can be set to Off, Low, or High. Set it to Off when you don't want to be disturbed during a meeting.

Switchable Tone/Pulse Settings

The KX-TS500ML can be switched between tone (pushbutton) and pulse (rotary), ensuring that it will work on either type of telephone line.



KX-TS500ML Specifications

Dial Mode:	Tone (DTMF)/pulse	Power Source:	Telephone line
Redial:	One-touch (32 digits)	Dimensions (H x W x D):	96 mm x 150 mm x 200 mm
Flash:	600 ms	Weight:	475 g

Panasonic®

PANASONIC MALAYSIA SDN BHD (26975-W)
Lot 1, Persiaran Budiman, Seksyen 23,
40300 Shah Alam, Selangor, Malaysia.
Hunting Line: 60-3-5543 7000
Fax Line: 60-3-5549 5700 or 60-3-5549 5699
Web site: <http://www.panasonic.com.my>

Panasonic

ideas for life

Integrated Telephone System

KX-TS580MX KX-TS560MX KX-TS520MX

- Caller ID Compatible*1
- Phonebook (50 Entries)*1
- Ringer Indicator

*1 Except KX-TS520MX.


ราคา 690 บาท




Caller ID



Ringer Indicator



Navigator key



Speakerphone

KX-TS580MX
Black

A Simple, Easy-to-Use Design
in a Wide Variety of Colors



Black Red Blue Ivory



Black White Red Ivory



Black White Blue Ivory



White

KX-TS580MX



Blue

KX-TS560MX



Red

KX-TS520MX



TELECOMMUNICATIONS

NO CHEMICAL USED

The KX-TS580MX and KX-TS560MX
Equipped with Handy Features,
Including Both LCD Display
and Caller ID

*2RoHS-specified No Chemical Used substances
Lead, cadmium, mercury, hexavalent chromium and
specified brominated flame retardants (PBB and PBDE).



KX-TS580MX
Ivory

Outstanding Features with Built-In Quality

Caller ID Compatible[†]

The KX-TS580MX / KX-TS560MX are suitable for Caller ID service. The 2-Line LCD displays caller's name (required registration in phonebook) and number. You can know who's calling before you answer.

Except KX-TS520MX.

[†] Requires subscription to Caller ID service by a telephone company.

Phonebook (50 Entries)

Up to 50 numbers and names can be stored in its phonebook. You can make a call by selecting a name or number from the phonebook.

Except KX-TS520MX.

Ringer Indicator

You can confirm incoming calls visually. Ringer Indicator flashes to indicate there is an incoming call.

Convenient when waiting for a call.

Specifications

	KX-TS580MX	KX-TS560MX	KX-TS520MX
General			
Number of Line	1	1	1
Data Port	—	—	—
One Touch Dial	—	—	3
Redial Memory	20-Station	20-Station	Last One
Auto Redial	●	—	—
One Touch Redial	● (Last One)	● (Last One)	● (Last One)
Phonebook Name Input	English (50 Entries)	English (50 Entries)	—
One Touch Tone Switching	●	●	●
Pulse / Tone Setting	Programmable	Programmable	Switchable
Pulse / Tone Default	Tone	Tone	Tone
Flash Time	Programmable	Programmable	600 ms Fix
Flash Time Default	600 ms	600 ms	—
Insertable Pause	3.5 s	3.5 s	2.1 s
Ringer Volume	Off / Low / High	Off / Low / High	Off / Low / High
Ringer Indicator	●	●	●
Electronic Hold	●	—	—
Electronic Hold on Music	●	—	—
Speakerphone	●	—	—
Speakerphone Volume	8-Step	—	—
Mute	●	●	—
On-Hook Dialing	●	●	—
Handset Receiver Volume	4-Step	4-Step	6-Step
Call Restriction	Programmable (0 or Up to 2 digits)	Programmable (0 or Up to 2 digits)	—
Dial Lock	●	●	—
Navigator	●	●	—
LCD			
LCD	Dot x 16 digits 7-Seg x 8 digits + Pict	Dot x 16 digits 7-Seg x 8 digits + Pict	—
LCD Language (Menu Selection)	English only	English only	—
LCD Contrast	4-Step	4-Step	—
Caller ID			
Caller ID Compatible	●	●	—
Signal	FSK&DTMF	FSK&DTMF	—
Private Name Display	● (Required Registration in Phonebook)	● (Required Registration in Phonebook)	—
Caller ID Memory	50-Station	50-Station	—
Time / Day Stamp from Clock	●	●	—
Voice Mail (FSK)	●	●	—
Others			
Power Source	3 x AA and Line	3 x AA and Line	Line
Wall Mountable	●	●	●
Dimensions W x D x H (mm)	196 x 190 x 95	196 x 190 x 95	196 x 190 x 95
Weight (g)	685	665	518

KX-TS620MX – Integrated Telephone Systems

ราคา 1,960 บาท



Integrated Telephone Systems

- Caller ID Compatible
- Caller ID Memory (50 Entries)
- 20 Stations Redial Memory
- One Touch Dial (3 Stations)
- Speakerphone
- Data Port
- Phonebook (50 Entries)
- Dial Lock
- Call Restriction
- Additional Answering Machine

General

Line Number	1
Navigator Key	0
Data Port	0
One Touch Dial (Stations)	3
Redial Memory	20
One Touch Redial	Auto
Phonebook	50
One Touch Tone Switching	0
Tone/Pulse setting	Programmable
Timed Flash (ms)	Programmable (80/90/100/110/160/200/250/300/400/600/700/900 ms)
Insertable Pause	3.5 sec
Ringer Volume	3
Ringer Indicator	0
Desk/Wall Mountable	0
Electronic Hold	Music
Speakerphone	0
Mute	0
On-Hook Dialing	0
Electronic Volume (Level)	Handset: 4-Level / Speakerphone: 8-Level
Call Restriction	0
Dial Lock	0
LCD	3-Line LCD
Caller ID Compatible*	0 (FSK/DTMF)
Caller ID Memory*	50

*Requires subscription to Caller ID service. Please check with local Telephone Company for details and availability.

KX-TS820

- New business-use ITS
- 10 One Touch Speed Dial Key
- Ringer LED for Incoming call

Success in Business Begins
with Reliable Tools



Ringer Indicator



30-Speed Dialer



Long curl cord




2-Step Tilt Angle



Wall Mountable

ราคา 880 บาท

White



UAB "Panalita" technikos centras ■ T.Ševčenkos 16a, LT03111 Vilnius ■ Tel/faks: +5 2395080 ■ info@panalita.lt ■ www.panalita.lt



Black

Strong Support for All Types of Business

The Integrated Telephone System combines function and design to meet a wide range of business situations. All required functions are designed based on special business specifications and ensure extremely easy operation.

Outstanding Features with Built-In Quality

New business-use ITS



To reliably support all business activities, the Integrated Telephone System features a wide range of indispensable functions, a comfortable handset and 2-Step Tilt Angle.

10 One Touch Speed Dial Key



10 one-touch speed dial numbers are ideal for storing emergency or frequently dialed numbers. You can also store and retrieve 20 phone numbers for two-touch speed dialing. A total of 30 speed dial numbers will save you searching and dialing time.

Ringer LED for Incoming call



You can confirm incoming calls visually. Ringer Indicator flashes to indicate there is an incoming call. Convenient when waiting for a call.

2-Step Tilt Angle

The 2-Step Tilt Angle allows easy adjustment when the telephone is placed on a desk. Careful engineering and design ensure easy use while minimizing user inconvenience.



Wall Mountable

There's no need to worry if you can't find a suitable place to put your KX-TS820. You can mount it right on the wall for functional use.



Other Features

- Programmable Flash Time setting
- Dial Lock (4 digits PIN)
- Ringer Indication (LED)
- Long Handset Cord (39 cm)

Specifications

Call Restriction	—	Insertable Pause	● (3.5 sec)
One Touch Dial (Stations)	10 stations	Ringer Selector (step)	SW (Off / Low / High)
Redial	● (Last number only)	Volume	Electrical (4 steps)
One-Touch Tone Switching	●	Wall Mountable	●
Tone/Pulse Setting	Programmable	Dimensions (W x D x H)	172 mm x 220 mm x 93 mm
Timed Flash	600 ms	Weight	426 g

Panasonic

ideas for life

Integrated Telephone System
KX-TS840MX



White

- Ringer Lamp
- One-Touch Dial Buttons
- Speakerphone and Headset for Hands-Free Conversation
(No Battery Required)

ราคา 1,500 บาท



Black

KX-TS840MX


Ringer Lamp

The KX-TS840MX's ringer lamp helps you catch all the important calls. A red light illuminates to visually alert you when a call comes in, for convenient use in hotel guest rooms or offices.



20 Phone Numbers in One-Touch Dial Buttons

You can store up to 20 phone numbers in the one-touch dial buttons (10 numbers in both upper and lower memory locations). One-touch dial buttons save you time and trouble when calling a client, customer, or associate you often speak with.



One-Touch Dial Buttons

Speakerphone and Headset for Hands-Free Conversation (No Battery Required)

You can use the speakerphone or headset for hands-free conversations. Since you don't need to pick up the handset, this enables you to do other work while having a conversation.

Restricting Calls

You can restrict the phone from making calls to all numbers (Dial Lock) or to specific external numbers (Call Restriction). Restricting phones placed in locations where people other than employees are present enables enhanced security.

Colour Variation

KX-TS840MX



White



Black

Specifications

Speakerphone	Yes
Dial Lock	Yes (4digits PIN)
Call Restriction	Yes
One Touch Dial (Stations)	20 station (10 upper + 10 lower)
Speed Dial (Stations)	10 station
Redial	Yes (Last Redial Number Only)
One-Touch Tone Switching	Yes
Tone/Pulse Setting	Programmable
Timed Flash	600ms (Programmable: 80ms to 810ms)
Insertable Pause	Yes (3.5sec)
Electronic Hold	Yes
Ringer Selector (step)	SW (Off/Low/High)
Ringer Indication	LED
Mute	Yes
Volume	Electrical (4 steps)
SP Volume	Electrical (4 steps)
Wall Mountable	Yes (2-Step Tilt Angle)
Headset Jack	Yes
Long Handset Cord	390mm
Dimensions (H x W x D)	93mm x 172mm x 220mm
Weight (kg)	620g (Base + Handset)



Important

—Safety Precaution: Carefully read the quick reference guide before using this product.

- Some models will be available to limited countries.
- All pictures of LED lamp are simulated.
- Weights and dimensions are approximate.
- Design and specifications subject to change without notice.
- These products may be subject to export control regulations.

DISTRIBUTED BY :

Panasonic

Panasonic

ideas for life

Integrated Telephone System

KX-TS880

- New business-use ITS
- 10 One Touch Speed Dial Key
- Caller ID and Speaker Phone

Top Business Success Begins with More Reliable Tools



Speakerphone



Caller ID



Ringer Indicator



Long curl cord



2-Step Tilt Angle

ราคา 2,200 บาท

White



Black

TELECOMMUNICATIONS

Strong Support for All Types of Business

The Integrated Telephone System combines function and design to meet a wide range of business situations. All required functions are designed based on special business specifications and ensure extremely easy operation.

Outstanding Features with Built-In Quality

New business-use ITS



In order to reliably support everyday business activities, the KX-TS880 features a wide range of indispensable functions, a comfortable handset, convenient 3-line LCD, Caller ID and 2-Step Tilt Angle.

10 One Touch Speed Dial Key



10 one-touch speed dial numbers are ideal for storing emergency or frequently dialed numbers. You can also store and retrieve 20 phone numbers for two-touch speed dialing. A total of 30 speed dial numbers will save you searching and dialing time.

Caller ID* and Speaker Phone



KX-TS880 is suitable for Caller ID service. The 3-Line LCD displays caller's information. You can know who's calling before you answer.

* Requires subscription to Caller ID service by a telephone company.

2-Step Tilt Angle

The 2-Step Tilt Angle allows easy adjustment when the telephone is placed on a desk. Careful engineering and design ensure easy use while minimizing user inconvenience.



Wall Mountable

There's no need to worry if you can't find a suitable place to put your KX-TS880. You can mount it right on the wall for functional use.



Other Features

- Programmable Flash Time setting
- Long Handset Cord (39 cm)
- Dial Lock (4 digits PIN)
- Auto Redial
- Electronic Hold
- Ringer Indication (LED)
- Mute
- Clock
- Speakerphone
- Headset Jack

Specifications

Call Restriction	●	Volume	Electrical (4 steps)
One Touch Dial (Stations)	10 stations	SP Volume	Electrical (8 steps)
Redial	● (20 stations)	Phonebook	50 stations (Number & Name)
One-Touch Tone Switching	●	LCD	3 Line (Dot & 7 segment & Pict)
Tone/Pulse Setting	Programmable	Wall Mountable	●
Timed Flash	600 ms	Caller ID Memory	50 stations
Insertable Pause	● (3.5 sec)	Dimensions (W x D x H)	172 mm x 220 mm x 93 mm
Ringer Selector (step)	SW (Off / Low / High)	Weight	550 g

Panasonic

ideas for life

Integrated
Telephone System

KX-TSC11



-B

ราคา 1,960 บาท



-W

T E L E C O M M U N I C A T I O N S

KX-TSC11

Integrated Telephone System

Outstanding Features with Built-In Quality

Caller ID (FSK/DTMF) Compatible*

KX-TSC11MX is suitable for each technical standard of Caller ID service (Bellcore, ETSI and DTMF). The 2-Line LCD displays caller's information. You can know who's calling before you answer.

50-Station Caller ID Memory*

Up to 50 Stations can be stored, you can recall and call back easily.

50-Station Speed Dial

Lets you store and quickly dial as many as up to 50 frequently called phone numbers.

Up to 20 Stations Redial Memory

The last 20 numbers dialed will be stored and can be re-dialed instantly.

2-Line LCD Display with Clock

The convenient 2-Line LCD displays the entire caller's information, time and date, dialed numbers, duration of call and call counter with 4-level contrast control.

Navigator Key for Easy Operation

The navigator key lets you easily control your 50-station speed dialer as well as easily access to the Caller ID memory.

Dial Lock

Using a numerical code you can lock (and unlock) the dialing keypad. Outgoing calls can not be dialed, while Incoming calls can be answered.

*Requires subscription to Caller ID offered by certain telephone companies for a fee. Please check with local Telephone Company for details and availability.

Additional Features

■ **Call Restriction**

■ **User Programmable Timed Flash (80/90/100/110/200/250/300/400/ 600/700ms)**

■ **Insertable Pause (Time Delay)**

■ **Electronic Volume Control**

■ **Ringer Selector: Off/Low/High**

■ **Telephone Line-Powered Operation**

■ **One-Touch Redial**

Specifications

Dial Mode:	Tone (DTMF)/Pulse
Caller ID Memory:	50 stations
Phone Book:	50 stations
Redial Memory:	20stations
Pause:	3.5 seconds
Flash:	User-programmable (80/90/100/110/200/250/ 300/400/600/700ms)

Power Source:	Telephone line and 3AA Batteries
Dimensions (H x W x D):	96 mm x 150 mm x 200 mm
Weight:	550 g

Panasonic®

Design and specifications are subject to change without notice.
0.4M0604SK-TSC11-ML.MX Printed in Japan