

Acer Tower 1 Way Server

Tower 1 Way Server
Altos AT110 F3

Free Bundle keyboard and mouse (all Model)



Service by Acer Care เฉพาะกรุงเทพฯ & ปริมณฑล นอกพื้นที่โปรดติดต่อฝ่ายขาย

	Altos T110F3 ACR-USR8QST070	Altos T110 F3 ACR-USR8QST054	Altos T110 F3 ACR-USR8QST066	Altos T110 F3 US.R8QST.011 ACR-USR8QST011
CPU Types	Intel® Xeon® E3-1220v3 Quad Core Processor (3.10GHz/1600MHz/69W)	Intel® Xeon® E3-1220v3 Quad Core Processor (3.10GHz/1600MHz/69W)	Intel® Xeon® E3-1230v3 Quad Core Processor (3.30GHz/1600MHz/69W)	Intel Xeon E3-1240v2 Quad Core Processor (3.40GHz/1600MHz/69W)
CPU min., max.	1	1	1	1
CPU L2 Cache	8MB L3 Cache	8MB L3 Cache	8MB L3 Cache	8MB L3 Cache
Memory	4GB (1x4GB)	4GB (1x4GB)	8GB (2x4GB)	4GB (1x4GB)
Memory Max. support	Unbuffered DDR3 1600 MHz	Unbuffered DDR3 1333 / 1600 MHz up to 32GB max (4 DIMM Slot)	Unbuffered DDR3 1600 MHz	Unbuffered DDR3 1333 / 1600 MHz up to 32GB max (4 DIMM Slot)
Graphics	Embedded Intel® HD Graphics P4600 (32MB)	Embedded Intel® HD Graphics P4600 (32MB)	Embedded Intel® HD Graphics P4600 (32MB)	Embedded Intel HD Graphics P4600 (32MB)
PCI Slots (Total#,#,xxbit/xxxMHz)		PCIe® 3.0 x16 (x16 connector) PCIe® 2.0 x4 (x8 connector) PCIe® 2.0 x1 (x8 connector) PCIe® 2.0 x1 (x4 connector)		PCIe 3.0 x16 (x16 connector) PCIe 2.0 x4 (x8 connector) PCIe 2.0 x1 (x8 connector) PCIe 2.0 x1 (x4 connector)
Harddisk	1x 1TB 3.5" SATA 7200 RPM	1x 2TB 3.5" SATA 7200 RPM	1x 1TB 3.5" SATA 7200 RPM	1x 2TB 3.5" SATA 7200 RPM
Std. HDD Controller	"Integrated six-port SATA, Support S/W RAID 0, 1, 5, 11"	Integrated six-port SATA, Support S/W RAID 0, 1, 5, 11	"Integrated six-port SATA, Support S/W RAID 0, 1, 5, 11"	Integrated six-port SATA, Support S/W RAID 0, 1, 5, 10
Max. # Internal Disks	-	-	-	-
H/W RAID Controller	4 x 3.5" Non-Hot Plug bays for SAS,SATA HDD*	4 x 3.5" Non-Hot Plug bays for SAS,SATA HDD*	4 x 3.5" Non-Hot Plug bays for SAS,SATA HDD*	4 x 3.5" Non-Hot Plug bays for SAS,SATA HDD*
Optical device	DVDRW	DVDRW	DVDRW	DVDRW
Onboard Gigabit Ethernet	Yes, Single	Yes, Single	Yes, Single	Yes, Single
Redundant Power Supply From Factor	No Tower	No Tower	No Tower	No Tower
OS Support	Microsoft Windows Server 2012 Microsoft? Windows Server 2008 R2 SP1 Red Hat Enterprise Linux 6.4 Red Hat Enterprise Linux 5.9 Novell SUSE Linux Enterprise Server 11 SP3 VMware ESXi 5.0 update 1	Microsoft Windows Server 2012 Microsoft? Windows Server 2008 R2 SP1 Red Hat Enterprise Linux 6.4 Red Hat Enterprise Linux 5.9 Novell SUSE Linux Enterprise Server 11 SP3 VMware ESXi 5.0 update 1	Microsoft Windows Server 2012 Microsoft? Windows Server 2008 R2 SP1 Red Hat Enterprise Linux 6.4 Red Hat Enterprise Linux 5.9 Novell SUSE Linux Enterprise Server 11 SP3 VMware ESXi 5.0 update 1	Microsoft Windows Server 2012 Microsoft? Windows Server 2008 R2 SP1 Red Hat Enterprise Linux 6.4 Red Hat Enterprise Linux 5.9 Novell SUSE Linux Enterprise Server 11 SP3 VMware ESXi 5.0 update 1
Warranty	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand"	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand
ราคา (Inc. Vat)	25,466	25,600	33,063	30,900

Acer Tower 1 Way Server

Tower 1 Way Server
Altos T310 F3

Server ทุกรุ่น สามารถ Build to order
 ได้ตั้งแต่ 1 unit ขึ้นไป

* Service by Acer Care เฉพาะกรุงเทพฯ & ปริมณฑล นอกพื้นที่โปรดติดต่อฝ่ายขาย



Free Bundle keyboard and mouse (all Model)

Altos T310 F3 มาพร้อมฟังก์ชันพิเศษดังนี้

ฮาร์ดดิสก์ชนิดแอดวานซ์ไฟร์ส และทำงานแบบ hotswap
 (สามารถถอดเปลี่ยนฮาร์ดดิสก์โดยไม่ต้องปิดเครื่อง)

อุปกรณ์ช่วยในการจัดการระยะไกล อย่าง Smart Console (KVM over IP)
 และ ซอฟต์แวร์ในการบริหารจัดการเครื่องแม่ข่ายอย่าง Smart Server Manager

	Altos T310F3 ACR-USR8RST003	Altos T310F3 ACR-USR8RST004	Altos T310F3 ACR-USR8RST005	
CPU Types	Intel® Xeon® E3-1220v3 Quad Core Processor (3.10GHz/1600MHz/69W)*	Intel® Xeon® E3-1230v3 Quad Core Processor (3.30GHz/1600MHz/69W)	Intel® Xeon® E3-1240v3 Quad Core Processor (3.40GHz/1600MHz/69W)	
CPU min., max.	1	1	1	
CPU L2 Cache	8M L3 Cache	8M L3 Cache	8M L3 Cache	
Memory	4GB (1x4GB)	4GB (1x4GB)	4GB (1x4GB)	
Memory Max. support	Unbuffered DDR3 1333 / 1600 MHz up to 32GB max (4 DIMM Slot)	Unbuffered DDR3 1333 / 1600 MHz up to 32GB max (4 DIMM Slot)	Unbuffered DDR3 1333 / 1600 MHz up to 32GB max (4 DIMM Slot)	
Graphics	128 MB shared video memory, 16 MB dedicated	128 MB shared video memory, 16 MB dedicated	128 MB shared video memory, 16 MB dedicated	
PCI Slots (Total#,#,xxbit/xxxMHz)	PCIe® 3.0 x16/x8 (x16 connector) PCIe® 3.0 x0/x8 (x8 connector) PCIe® 2.0 x4 (x8 connector) PCIe® 2.0 x1 (x4 connector)	PCIe® 3.0 x16/x8 (x16 connector) PCIe® 3.0 x0/x8 (x8 connector) PCIe® 2.0 x4 (x8 connector) PCIe® 2.0 x1 (x4 connector)*		
Harddisk	1x 500GB 3.5" Enterprise SATA 7200 RPM	1x 1TB 3.5" Enterprise SATA 7200 RPM	1x 300GB 3.5" SAS 15K RPM	
Std. HDD Controller	Integrated six-port SATA S/W RAID 0, 1, 5*, 10	Integrated six-port SATA S/W RAID 0, 1, 5*, 10	Integrated six-port SATA S/W RAID 0, 1, 5*, 10	
Max. # Internal Disks	-	-	H/W RAID 0/1/10/5	
H/W RAID Controller	4 x 3.5" Hot Plug bays for SAS,SATA HDD	4 x 3.5" Hot Plug bays for SAS,SATA HDD	4 x 3.5" Hot Plug bays for SAS,SATA HDD	
Optical device	DVDRW	DVDRW	DVDRW	
Onboard Gigabit Ethernet	Yes, Dual	Yes, Dual	Yes, Dual	
Redundant Power Supply	No	No	No	
From Factor	Mini tower	Mini tower	Mini tower	
OS Support	Microsoft® Windows Server® 2012 R2 Microsoft® Windows Server® 2012 Microsoft® Windows Server® 2008 R2 SP1 Red Hat® Enterprise Linux® 6.4 / Linux® 5.9 Novell® SUSE® Linux® Enterprise Server 11 SP3 VMware ESXi 5.1 update 1	Microsoft® Windows Server® 2012 R2 Microsoft® Windows Server® 2012 Microsoft® Windows Server® 2008 R2 SP1 Red Hat® Enterprise Linux® 6.4 / Linux® 5.9 Novell® SUSE® Linux® Enterprise Server 11 SP3 VMware ESXi 5.1 update 1	Microsoft® Windows Server® 2012 R2 Microsoft® Windows Server® 2012 Microsoft® Windows Server® 2008 R2 SP1 Red Hat® Enterprise Linux® 6.4 / Linux® 5.9 Novell® SUSE® Linux® Enterprise Server 11 SP3 VMware ESXi 5.1 update 1	
Warranty	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand	
ราคา ((Inc. Vat)	39,162	41,195	52,430	

Acer Tower 1 Way Server

Tower 2 Way Server

Altos T350 F2

Server ทุกรุ่น สามารถ Build to order
ได้ตั้งแต่ 1 unit ขึ้นไป

* Service by Acer Care เฉพาะกรุงเทพฯ & ปริมณฑล นอกพื้นที่โปรดติดต่อฝ่ายขาย



Free Bundle keyboard and mouse (all Model)

	Altos T350F2 ACR-USR8WST002	Altos T350F3 ACR-USR8WST003	Altos T350F3 ACR-USR8WST004	
CPU Types	Intel® Xeon® Quad-Core E5-2609 (2.4G,6.4 GT/s QPI)	Intel® Xeon® Six-Core E5-2620 (2.0 GHz, 7.2 GT/s QPI)	Intel® Xeon® Six-Core E5-2620 (2.0 GHz, 7.2 GT/s QPI)	
CPU min., max.	2	2	2	
CPU L2 Cache	10MB L3 Cache	15MB L3 Cache	15MB L3 Cache	
Memory	4GB (1x4GB) RDIMM	4GB (1x4GB) RDIMM	8GB (1x8GB) RDIMM	
Memory Max. support	Registered / Unbuffered DDR3 ECC memory 16 DIMM Slots Up to 512 GB (16 x RDIMMs) or up to 128 GB (16 x UDIMMs)	Registered / Unbuffered DDR3 ECC memory 16 DIMM Slots Up to 512 GB (16 x RDIMMs) or up to 128 GB (16 x UDIMMs)	Registered / Unbuffered DDR3 ECC memory 16 DIMM Slots Up to 512 GB (16 x RDIMMs) or up to 128 GB (16 x UDIMMs)	
Graphics	BMC embedded controller 128 MB shared video memory, 16 MB dedicated	BMC embedded controller 128 MB shared video memory, 16 MB dedicated	BMC embedded controller 128 MB shared video memory, 16 MB dedicated	
PCI Slots (Total#.#,xxbit/xxMHz)	4 x PCIe® 3.0 x16 (x16 connector) 3 x PCIe® 3.0 x8 (x8 connector) 1 x PCIe® 2.0 x4 (x8 connector) Optional I/O module (PCIe® 1.0)*	4 x PCIe® 3.0 x16 (x16 connector) 3 x PCIe® 3.0 x8 (x8 connector) 1 x PCIe® 2.0 x4 (x8 connector) Optional I/O module (PCIe® 1.0)	4 x PCIe® 3.0 x16 (x16 connector) 3 x PCIe® 3.0 x8 (x8 connector) 1 x PCIe® 2.0 x4 (x8 connector) Optional I/O module (PCIe® 1.0)*	
Harddisk	2x 500GB 3.5" Enterprise SATA 7200rpm	1x 1TB 3.5" Enterprise SATA 7200rpm	2x 300GB 3.5" SAS 15K RPM	
Std. HDD Controller	Intel® RSTe RAID 0/1/10/5 for SATA mode	Intel® RSTe RAID 0/1/10/5 for SATA mode	Intel® RSTe RAID 0/1/10/5 for SATA mode	
Max. # Internal Disks	8 x 3.5" Hot Plug bays for SATA/SAS HDD	8 x 3.5" Hot Plug bays for SATA/SAS HDD	8 x 3.5" Hot Plug bays for SATA/SAS HDD	
H/W RAID Controller			H/W RAID 0/1/10/5/50/6/60 with 512MB cache	
Optical device	DVDRW	DVDRW	DVDRW	
Onboard Gigabit Ethernet	Yes, Dual	Yes, Dual	Yes, Dual	
Redundant Power Supply	2 x 1200 W 80 PLUS® Platinum-level efficient easy-swap power supply units (1+1 redundant, hot-swappable)	2 x 1200 W 80 PLUS® Platinum-level efficient easy-swap power supply units (1+1 redundant, hot-swappable)	2 x 1200 W 80 PLUS® Platinum-level efficient easy-swap power supply units (1+1 redundant, hot-swappable)	
Form Factor	Tower, or 4U rack-mountable (Optional)	Tower, or 4U rack-mountable (Optional)	Tower, or 4U rack-mountable (Optional)	
OS Support	Microsoft® Windows Server® 2012, 2008 Microsoft® Windows Server® 2008 R2 SUSE® Linux® Enterprise Server 11/ Server 10 Red Hat® Enterprise Linux® 6.3 VMware ESXi™ 5.0 Citrix XenServer® 6.1	Microsoft® Windows Server® 2012, 2008 Microsoft® Windows Server® 2008 R2 SUSE® Linux® Enterprise Server 11/ Server 10 Red Hat® Enterprise Linux® 6.3 VMware ESXi™ 5.0 Citrix XenServer® 6.1	Microsoft® Windows Server® 2012, 2008 Microsoft® Windows Server® 2008 R2 SUSE® Linux® Enterprise Server 11/ Server 10 Red Hat® Enterprise Linux® 6.3 VMware ESXi™ 5.0 Citrix XenServer® 6.1	
Warranty	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand	
ราคา ((Inc. Vat)	96,193	97,263	125,190	

DELL PowerEdge Server



Disti SKUs	DEL-SNST201YHDMA	DEL-SNST203YPRO	DE-SNST320E58G
Model	Dell PowerEdge T20	Dell PowerEdge T20	Dell PowerEdge T320
Form Factor	Mini Tower	Mini Tower	Tower Chassis with up to 8 Hot-Plug HDD
Processor	Intel® Xeon® E3-1225v3	Intel® Xeon® E3-1225v3	Intel® Xeon® E5-2403v2
Processor Speed / Core	3.2GHz, 4-Core, 8MB Cache, 84W	3.2GHz, 4-Core, 8MB Cache, 84W	1.8GHz 4-Core, 10MB, 80W
Memory	4 GB (1x4 GB), 1600 MHz, LVUDIMMs	4 GB (1x4 GB), 1600 MHz, LVUDIMMs	8GB RDIMM, 1600MT/s, LV, Single Rank
Network	1 x Gigabit Ethernet	1 x Gigabit Ethernet	1 x Gigabit Ethernet
Harddisk	1TB SATAII, 7.2k, 3.5 inch	1TB SATAII, 7.2k, 3.5 inch	(3) 500GB 7.2 K RPM SATA
RAID Controller	Intel Rapid Storage Controller 12.0	Intel Rapid Storage Controller 12.0	PERC H310 Integrated RAID Controller
Optical Drive	DVD-ROM	DVD-ROM	16x SATA DVD + / - RW Driv
Power Supply	290W	290W	Redundant Power Supply (1+1), 495W
System Management	NA	NA	Baseboard Management Contoller
Warranty	3Yr NBD Onsite Service (1 Year HDD MA)	3Yr ProSupport: NBD Onsite Service	3Yr ProSupport: NBD Onsite Service
ราคา ((Inc.Vat)	24,075	25,894	63,633



Disti SKUs	DEL-SNS116143001	SNS116163001	
Model	PowerEdge T430	PowerEdge T630	
Form Factor	Chassis with up to 8, 3.5" Hot-Plug Hard Drives with PERC Raid, Tower configuration	Chassis with up to 8, 3.5" Hard Drives, Tower Configuration	
Processor	(1) Intel® Xeon® E5-2623 v3	(1) Intel® Xeon® E5-2620v3	
Processor Speed / Core	3GHz, 4-Core, 10MB Cache, 105W	2.4GHz, 6-core, 15MB, 85W	
Memory	8GB (1x8GB) RDIMM, 2133MT/s, Dual Rank, x8 Data Width	16GB (1x16GB) RDIMM, 2133 MT/s, Dual Rank, x4 Data Width	
Network	(2) Gigabit Ethernet port	(2) Gigabit Ethernet port	
Harddisk	(3) 1TB 7.2K RPM NLSAS 6Gbps 3.5in Hot-plug HDD	(3) 600GB 10K RPM SAS 6Gbps 2.5in Hot-plug Hard Drive, 3.5in HYB CARR	
RAID Controller	PERC H330 Integrated RAID Controller	PERC H730 RAID Controller, 1GB NV Cache	
Optical Drive	DVD+/-RW, SATA, Internal	16x SATA DVD-ROM Drive	
Power Supply	Dual, Hot-plug, Redundant Power Supply (1+1), 495W	Dual, Hot-plug, Redundant Power Supply (1+1), 750W	
System Management	iDrac8, Express	iDRAC8, Enterprise with OpenManage Essentials, Server ConfigMgmt	
Warranty	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Months	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Months	
ราคา ((Inc.Vat)	99,725	130,540	

Low-Mid Level : 1 Way & 2 Way Server

BY ORDER

HP MicroSvr Gen8 G2020T

HPQ-712318-371

HP Proliant ML310e Gen8 v2 E3-1220v3

HPQ-712329-371

HP Proliant ML310e Gen8 v2 E3-1241v3

HPQ-768729-371

Processor type	Intel® Pentium® G2020T (2.5GHz/2-core/3MB) Processor	(1) Intel Xeon E3-1220v3 (3.1GHz/4-core/8MB/80W) Processor	(1) Intel® Xeon® E3-1241v3 (3.4GHz/4-core/8MB/80W) Processor
CPU L2 Cache	3MB (1 x 3MB) L3 Cache	8MB (1 x 8MB) L3 cache	8MB (1 x 8MB) L3 cache
Memory	2GB (1 x 2GB) PC3-10600E DDR3 UB ECC NOTE: Total of 2 DIMM slots.	4GB (1 x 4GB) PC3-12800E DDR3 UDIMM	8GB (1 x 8GB) PC3-12800E DDR3 UDIMM
Network Controller	HP Ethernet 1Gb 2-port 332i Adapter	HP Ethernet 1Gb 2-port 332i Adapter	HP Ethernet 1Gb 2-port 332i Adapter
VGA Controller	Integrated Matrox G200 video standard	Integrated Matrox G200 video standard	Integrated Matrox G200 video standard
Storage controller	HP Dynamic Smart Array B120i Controller	HP Dynamic Smart Array B120i Controller	HP Dynamic Smart Array B120i Controller
RAID Onboard	RAID 0/1/10	RAID 0,1,10	0,1,10
Bus Type			
Expansion Slots	1 standard (1-Low Profile) PCIe 2.0	4 PCI-E Slot	4 PCI-E Slot
Optical drive	None ships standard	HP Half-Height 16x SATA DVD-RW	HP Half-Height 16x SATA DVD-RW
Media Bays	4 LFF NHP	4 LFF Hard Drive Bays	4 LFF SAS/SATA HDD cage; includes 3 LFF hard drive blanks
Max. # internal Disks	Non-Hot Plug SATA 3.5" 12TB (4 x 3TB) Maximum	None	4 LFF Hard Drive Bays
Hard Drives	None ships standard		1x500GB HP LFF SATA
Power Supply	150W Non-Hot Plug, Non-Redundant Power Supply	HP 350W Multi-Output Power Supply	(1) HP 460W Common Slot Gold Hot Plug Power Supply
Dimension	Ultra Micro Tower	Micro ATX Tower (4U)	Micro ATX Tower (4U)
OS Certificate	Microsoft Windows Server Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES)	Microsoft Windows Server / Canonical Ubuntu Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Vmware	Microsoft Windows Server Canonical Ubuntu Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Vmware
Warranty	1 Year Part Only	1/1/1	1/1/1
ราคา (Inc.Vat)	18,585	36,129.-	42,800
PROMOTION		Package ชุดคุ้ม รับเพิ่มฟรี HDD Hot Plug SATA 1 TB x 1 และ Upgrade Warranty 3Yr NBD ในราคาชุดคุ้มค่า ราคา SRP 34,775 บาท	Package ชุดคุ้ม รับเพิ่มฟรี HDD Hot Plug SATA 1TB x 1 และ Upgrade Warranty 3Yr NBD ในราคาชุดคุ้มค่า ราคา SRP 50,183 บาท

Low-Mid Level : 2 Way Server

HP Proliant ML350 Gen9

(Intel E5-2620v3)
HPQ-765819-371

HP Proliant ML350 Gen9

(Intel E5-2620v3)
HPQ-765820-371

HP Proliant ML350p Gen8 E5-2620v2

HPQ-736958-371

Processor type	(1) Intel® Xeon® E5-2609v3 (1.9GHz/6-core/15MB/85W)	(1) Intel® Xeon® E5-2620v3 (2.4GHz/6-core/15MB/85W)	(1) Intel Xeon E5-2620 v2 (2.1GHz/6-core/15MB/80W) Processor
CPU L2 Cache	15MB (1 x 15MB) L3	15MB (1 x 15MB) L3	15MB (1 x 15MB) L3
Memory	8GB (1x8GB Registered DIMMs, 2133 MHz)	16GB (1x16GB Registered DIMMs, 2133 MHz)	8GB (1x8GB) PC3L-12800R (DDR3-1600LV) Registered DIMMS
Network Controller	HP Embedded 1Gb Ethernet 4-port 331i Adapter	HP Embedded 1Gb Ethernet 4-port 331i Adapter	HP 1Gb Ethernet 4-port 331i Adapter
VGA Controller	Integrated Matrox G200 video standard	Integrated Matrox G200 video standard	Integrated Matrox G200 video standard
Storage controller	HP Dynamic Smart Array B140i	HP Smart Array P440ar/2G	HP Smart Array P420i/512M FBWC Controller
RAID Onboard	RAID 0, 1, 10, 5	0/1/1+0/5/5+0/6/6+0	RAID 0/1/1+0/5/5+0/6/6+0
Expansion Slots	Standard 4 PCI-E Slot; upgradable to 9 Slot (for 2 processors)	Standard 4 PCI-E Slot; upgradable to 9 Slot (for 2 processors)	Standard 4 PCI-E Slot; upgradable to 9 Slot (for 2 processors)
Optical drive	N/A (***) <i>Optional : DVD-ROM/ DVD-RW</i>	N/A (***) <i>Optional : DVD-ROM/ DVD-RW</i>	HP Half-Height SATA DVD-RW Optical Drive
Max. # internal Disks Optional	(8) Hot plug SFF SAS/SATA HDD bays Upgradable to (48)	(8) Hot plug SFF SAS/SATA HDD bays Upgradable to (48)	(8) Hot plug SFF SAS/SATA HDD bays Upgradable to (24)
Hard Drives			None ship standard; includes 7 SFF hard drive blanks
Power Supply	(1) HP 500W Flex Slot Platinum Power Supply	(1) HP 500W Flex Slot Platinum Power Supply	(1) HP 460W Common Slot Gold Hot Plug Power Supply
Dimension	Tower (5U)	Tower (5U)	Tower (5U)
OS Certificate	Microsoft Windows Server / Canonical Ubuntu Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Solaris VMware / Citrix XenServer™	Microsoft Windows Server / Canonical Ubuntu Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Solaris VMware / Citrix XenServer™	Microsoft Windows Server Canonical Ubuntu Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Solaris / VMware / Citrix XenServer™
Warranty	HP 3/3/3 Nbd	HP 3/3/3 Nbd	3/3/3
SRP (Inc.Vat)	81,320	100,580	111,932

Package ชุดคีย์ รับเพิ่มฟรี HDD Hot Plug
SAS 1TB x2 และ Upgrade Warranty HP 3y NBD
ML350 Gen9 FC Service ในราคาชุดคีย์ค่า
SRP 93,090 บาท

Package ชุดคีย์ รับเพิ่มฟรี HDD Hot Plug
SAS 300GB x 2 และ Upgrade Warranty HP 3y
NBD ML350 Gen9 FC Service ในราคาชุดคีย์ค่า
ราคา SRP 119,840 บาท

Package ชุดคีย์ HDD Hot Plug SAS 300GB x 2
SRP 105,930 บาท
Package HDD 600 GB SAS x 2
SRP 114,490 บาท

Low-Mid Level : 2 Way Server



**HP Proliant ML150 Gen9
E5-2609v3**
HPQ-776275-371

**HP Proliant ML150 Gen9
E5-2620v3**
HPQ-776276-371

Processor type	(1) Intel® Xeon® E5-2609v3 (1.9GHz/6-core/85W/15MB) Processor	(1) Intel® Xeon® E5-2620v3 (2.4GHz/6-core/85W/15MB) Processor		
CPU L2 Cache	15MB (1 x 15MB) L3	15MB (1 x 15MB) L3		
Memory	8GB (1x8GB DDR4 Registered DIMMs, 2133 MHz)	16GB (1x16GB DDR4 Registered DIMMs, 2133 MHz)		
Network Controller	Broadcom 5717 Dual-port 1GbE	Broadcom 5717 Dual-port 1GbE		
VGA Controller	N/A	N/A		
Storage controller	HP Dynamic Smart Array B140i Controller	HP H240 Smart Host Bus Adapter		
RAID Onboard	RAID 0, 1, 10, 5 SATA Only	RAID 0, 1, 10, 5		
Expansion Slots	6 PCIe slots (Slot PCIe 1&3 Activated when installed with CPU 2)	6 PCIe slots (Slot PCIe 1&3 Activated when installed with CPU 2)		
Optical drive	N/A (** Optional : DVD-ROM/ DVD-RW)	N/A (** Optional : DVD-ROM/ DVD-RW)		
Max. # internal Disks Optional	Upgradable to (10) with optional	Upgradable to (16) with optional		
Hard Drives	None ship standard	None ship standard		
Power Supply	(1) HP 550W FIO Power Supply	(1) HP 900W FIO Power Supply		
Dimension	Tower (5U)	Tower (5U)		
OS Certificate	Microsoft Windows Server Canonical Ubuntu Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Oracle Solaris / VMware	Microsoft Windows Server Canonical Ubuntu Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Oracle Solaris / VMware		
Warranty	3/1/1	3/1/1		
SRP (Inc.Vat)	74,900	114,490		

Package ชุดคู่ รับเพิ่มฟรี HDD Hot Plug
SATA 1TB x 2,DVDRW
และ Upgrade Warranty 3Yr NBD FC Service
ในราคาชุดคู่ค่า
ราคา SRP (inc.VAT) 74,900

Package ชุดคู่ รับเพิ่มฟรี HDD Hot Plug
SAS600GB10K x 2,DVDRW
และ Upgrade Warranty 3Yr NBD FC Service
ในราคาชุดคู่ค่า
ราคา SRP (inc.VAT) 114,490